



Hanson's Garden Village

Edible Fruiting Shrubs

*** = Available in Bare Root for 2019

All Fruiting Shrubs Available in Pots, Except Where Noted

BLUEBERRY

Blueberries are self-fruitful however, when two or more cultivars are present, cross-pollination produces fruit that ripens earlier and is larger. Blueberries require an acid soil with the pH in the range of 4.5 to 5.5 for best results. Because of their shallow, fibrous root systems, blueberries require a soil that is uniformly moist, but not saturated. Heavy, poorly drained soils should be avoided. They are attractive both while in flowering and fruiting stages. The brilliant fall colors, ranging from orange, scarlet and red, along with the rugged appearance add to the value of the landscape.

Friendship Blueberry (*Vaccinium 'Friendship'*)

HEIGHT: 4-6' WIDTH: 4-5' ZONE: 4-8 BLOOM: Late May RIPENS: Late July

Super hardy blueberry delivers great wild berry taste on vigorous, productive plants. From native plants in Friendship, WI. Fruits mid-July to August (early for blueberries). Brilliant orange-red fall color.

Northblue Blueberry (*Vaccinium 'Northblue'*) ***

HEIGHT: 24-36" WIDTH: 30-40" ZONE: 3-8 BLOOM: Late May RIPENS: Early August

Introduced in 1983. Plants are short in stature. Fruit is dark blue, large and attractive with a good blueberry flavor and a pleasing sugar to acid ratio. Glossy, dark green leaves turning to a deep bright red in fall.

Northcountry Blueberry (*Vaccinium 'Northcountry'*) ***

HEIGHT: 18-24" WIDTH: 30-40" ZONE: 3-8 BLOOM: Late May RIPENS: Early August

A sibling of 'Northsky' introduced in 1988. Larger and more productive than 'Northsky.' Fruit 1/2" in diameter with an attractive sky blue color. Flavor sweet and mild. Fruits approximately 5 days earlier than 'Northblue' and extends for 2-3 weeks. Partially self-fruitful.

Northland Blueberry (*Vaccinium 'Northland'*) ***

HEIGHT: 3-4' WIDTH: 3-4' ZONE: 4-7 BLOOM: Late May RIPENS: Early August

This cultivar was hybridized to adapt to northern Michigan. Fruit size is small, dark blue and has a wild berry flavor. 'Northland' has limber branches which do not break under heavy snow loads and adapts well to the sub zero climate. Foliage is beautiful throughout the growing season.

Patriot Blueberry (*Vaccinium 'Patriot'*) ***

HEIGHT: 4-6' WIDTH: 4-5' ZONE: 4-8 BLOOM: Late May RIPENS: Early August

Fruit is very large, firm and has small, dry recessed scars. The berry is formed on tight clusters and it tends to be flatter than the other cultivars. Ripens early. Excellent flavor. Bush is upright, open and vigorous. Excellent landscape variety with showy white blooms in the spring, dark green foliage in the summer, and fiery orange fall colors. Full sun.

Polaris Blueberry (*Vaccinium 'Polaris'*)

HEIGHT: 3-4' WIDTH: 3-4' ZONE: 3-7 BLOOM: Late May RIPENS: Early August

Introduced in 1996. A very aromatic, firm berry with excellent flavor. Fruit will store up to 6-8 weeks. Fruit is slightly smaller than 'Northblue' with yields of 80-90% of it.

Superior Blueberry (*Vaccinium 'Superior'*)

HEIGHT: 3-5' WIDTH: 3-5' ZONE: 3-7 BLOOM: Late May RIPENS: Mid-August

Superior is a most productive cultivar with firm berries that are light to medium blue, having flavor that is balanced and pleasant. Superior matures the majority of its fruit about 1 week later than other blueberry varieties.

CHERRY (BUSH)

Bush cherries feature white flowers in early spring followed by abundant red fruits that ripen mid summer. These fruits are excellent for making jams, jellies or pies. They are also loved by the wildlife. Making bush cherries a great way to attract birds and butterflies. Bush cherries also make a wonderful hedge row or windbreak when used in mass plantings.

Western Sand Cherry (*Prunus besseyi*)

HEIGHT: 5-6' WIDTH: 5-6' ZONE: 3-6 BLOOM: Early May RIPENS: Early August

White, single flowers in May produce great quantities of 3/4" purple-black sweet fruits from July to mid August, used for preserves. Prefers well-drained sites but will tolerate hot, dry soil. Very hardy.

Nanking Cherry (*Prunus tomentosa*)

HEIGHT: 8-10' WIDTH: 10-15' ZONE: 2-6 BLOOM: Early May. RIPENS: Mid-July

Showy white flowers with a pink blush are produced in early spring before leaves appear. Tasty red 1/3" fruits ripen June- July, make excellent jams and jellies or may be eaten fresh. Wildlife also love the fruit, a great conservation plant.

CHOKEBERRY

Chokeberries are easy to grow and maintain. Can be used to make jams, jellies and other fruit products. Berries are high in vitamins and antioxidants. Attractive white flowers in late spring along with glossy dark green leaves that turn to vivid hues of red and orange in the fall offer multi-season interest.

Glossy Black Chokeberry (*Aronia melanocarpa* var. *elata*) ***

HEIGHT: 4-6' WIDTH: 4-6' ZONE: 3-7 BLOOM: May RIPENS: Mid-August

A splendid ornamental shrub. White flowers in May followed by 1/4" black fruits that hang on well into winter. Aronia berries can be eaten fresh, used for baking, jams, juice and wine.

Viking Chokeberry (*Aronia melanocarpa* 'Viking')

HEIGHT: 6-8' WIDTH: 5-6' ZONE: 3-8 BLOOM: May RIPENS: Mid-August

One of the best cultivars known for its incredibly large clusters of black fruit. Developed in Eastern Europe for commercial fruit production.

CRANBERRY (HIGH BUSH)

High Bush Cranberries can be used as an ornamental plant with added value for its edible fruits. The fruit is ripe in late August or early September. Best when picked slightly under ripe and sour. Can be used in sauces, jellies, and juices.

American Cranberrybush (*Viburnum trilobum*) ***

HEIGHT: 10-12' WIDTH: 10-12' ZONE: 2-7 BLOOM: Late May RIPENS: Late August

Handsome, hardy shrub with lobed leaves. White flowers in late May. Scarlet berries last well into winter.

CURRANT

Glossy, round, medium sized berries are borne in clusters. Can be used to make jams, jellies and many other fruit products. Loaded with vitamin C.

Consort Black Currant (*Ribes nigrum* 'Consort') ***

HEIGHT: 4-6' WIDTH: 4' ZONE: 3-7 BLOOM: Early May RIPEN: July-August

Ripens late in the season, black fruits with strong flavor. The plants are very productive, immune to white pine blister rust, and only moderately susceptible to powdery mildew. Developed by Agriculture Canada at Ottawa, Ontario in 1952.

ELDERBERRY

These elderberries produce white flowers in late June. Fruits are blue-black and form in large clusters. The berries are excellent for making pies, jam and elderberry wine. Selected varieties of the hardy native plant, American Elderberry, *Sambucus canadensis*. Used in background and wildlife plantings.

Adams Elder (*Sambucus canadensis* 'Adams')

HEIGHT: 8-10' WIDTH: 8-12' ZONE: 3-9 BLOOM: Late June RIPENS: Late July

A clone of *S. canadensis* selected for its large fruit. Fruit set is normally improved when more than one cultivar is used, such as 'York'.

York Elderberry (*Sambucus canadensis* 'York')

HEIGHT: 10-12' WIDTH: 8-12' ZONE: 3-9 BLOOM: Late June RIPENS: Late July

Perhaps the largest fruit and most productive of any cultivar. Plants are larger and fruit matures later than 'Adams'. Fruit set is normally improved when more than one cultivar is used, such as 'Adams'.

HONEYBERRY

Honeyberry's taste has been compared to blueberries, blackberries, raspberries and black currants. Perfect for a backyard or full orchard. You can eat them fresh, bake into pies or make into jams or jellies.

Berry Blue Honeyberry (*Lonicera caerulea* 'Berry Blue')

HEIGHT: 4' WIDTH: 4' ZONE: 3-8 BLOOM: Early May RIPENS: Mid-July

Large blueberry-like tasting fruits are great for fresh eating, making jams and jellies, or baked into pies. This vigorous variety is perfect for backyard gardeners or for a full orchard. Hardy and drought tolerant. Use as a pollinator for Borealis or Cinderella.

Borealis Honeyberry (*Lonicera caerulea* 'Borealis')

HEIGHT: 4' WIDTH: 4' ZONE: 3-8 BLOOM: Early May RIPENS: Mid-July

Honeyberry's taste has been compared to blueberries, blackberries, raspberries and black currants. You can eat them fresh, bake into pies or make into jams or jellies. Borealis an excellent source of antioxidants and Vitamin C. Needs Berry Blue or Cinderella for fruit set.

Cinderella Honeyberry (*Lonicera caerulea* var. *kamchatica* 'Cinderella')

HEIGHT: 4' WIDTH: 4' ZONE: 3-8 BLOOM: Early May RIPENS: Mid-July

Perfect for any backyard or for full orchard, honeyberries are tasty fresh, on ice cream, baked into pies or made into jams or jellies. The flavor is reminiscent of blueberries, blackberries, raspberries or black currants. Excellent source of antioxidants and Vitamin C. Pollinator for Borealis or Cinderella.

GRAPE

Grapes are usually classified as either table (eaten raw) or wine. Table grapes tend to have large, seedless fruit with relatively thin skin. Seedless grapes make it easier for snacking and making jams, jellies, and juices. Wine grapes are smaller, usually seeded, and have relatively thick skins. A great characteristic in making wine, since much of the wine's aroma comes from the grape's skin. Wine grapes also tend to be very sweet. Choose the grape that suits your needs best, and start your own backyard vineyard.

Beta Grape (*Vitis 'Beta'*) ***

HEIGHT: Varies WIDTH: Varies ZONE: 3-8 BLOOM: Late May RIPENS: September
Developed by the University of Minnesota. Blue-black, excellent for juice or jelly. Vigorous

Bluebell Grape (*Vitis 'Bluebell'*) ***

HEIGHT: Varies WIDTH: Varies ZONE: 4-8 BLOOM: Late May RIPENS: Mid-September
Resembles 'Concord' in size and color but with more tender skin and greater hardiness. Very good table quality. Should be used in northern areas as a substitute for 'Concord'. Ripens in early to mid-September in Minnesota.

Frontenac™ Grape (*Vitis 'Frontenac'*)

HEIGHT: Varies WIDTH: Varies ZONE: 4-8 BLOOM: Late May RIPENS: Mid-September
A red wine grape developed by the University of MN fruit breeding program. Hardy to -30°F and produces a very good quality juice for wine making. A vigorous grower with good disease resistance to downy and powdery mildew.

Frontenac Gris™ Grape (*Vitis 'Frontenac Gris'*) ***

HEIGHT: Varies WIDTH: Varies ZONE: 4-8 BLOOM: Late May RIPENS: Mid-September
A white form of 'Frontenac'. A coppery-peach colored grape with the aroma of peach and apricot. This muscat-like grape is desirable for white wine making, fresh eating and desserts. Excellent disease resistance. A University of MN introduction.

Marquette Grape (*Vitis 'Marquette' PP19,579*) ***

HEIGHT: Varies WIDTH: Varies ZONE: 4-8 BLOOM: Late May RIPENS: Mid-September
A red wine variety that combines cold hardiness and disease resistance with excellent wine quality. Open and orderly growth habit is highly desirable for efficient vineyard management. Typically produces two clusters per shoot, eliminating the need for cluster thinning. Tasters noted an attractive, deep red color, with desirable aromas of cherry, black pepper and spice.

Somerset Seedless Grape (*Vitis 'Somerset Seedless'*) ***

HEIGHT: Varies WIDTH: Varies ZONE: 4-8 BLOOM: Late May RIPENS: Mid-September
A seedless table or juice grape with excellent flavor. Vigorous and bears heavily small, tight clusters of small, deep red berries. Earliest high quality seedless, berries are edible at pink stage in August, but are sweeter and more flavorful if left to ripen to full red.

Valiant Grape (*Vitis 'Valiant'*)

HEIGHT: Varies WIDTH: Varies ZONE: 3-8 BLOOM: Late May RIPENS: Mid-September
A blue grape, attractive, well filled clusters average 4" in length. Very productive, annual bearer. Berries are round, up to 1/2" in diameter. Free of astringency, skin does not adhere to flesh.

JOSTABERRY

Jostaberry (*Ribes x culverwelii*)

HEIGHT: 4-6' WIDTH: 4' ZONE: 3-8 BLOOM: Early May RIPENS: July-August
The rich, berry taste is a blend of black currant and gooseberry flavor, sweet and satisfying. Fruits are abundant starting early July, usually the second year. Resistant to white pine blister rust.

SERVICEBERRY

The serviceberry shrub, also referred to as Juneberry, Saskatoon or Shadbush, produces showy flowers and edible berries. Berries can be used in baked goods, jellies, jams, and dessert toppings. Can also add great color to the garden with show-stopping foliage in the fall.

Regent Saskatoon Serviceberry (*Amelanchier alnifolia 'Regent'*)

HEIGHT: 4-6' WIDTH: 4-8' ZONE: 2-7 BLOOM: Early-Mid RIPENS: Late August
A nicely shaped shrub form of Juneberry. Large white flowers. The dark purple fruit is sweet and good for eating and making jelly.

Shadblow Serviceberry (*Amelanchier canadensis*)

HEIGHT: 20-25' WIDTH: 10-15' ZONE: 4-8 BLOOM: Early RIPENS: Late August
Erect shrub that spreads by means of sucker growth from the base. Flowers are snowy white and bloom early before foliage appears. The red-purple fruit is edible.

RASPBERRY

Raspberries make great jams, jellies, tarts and other desserts. You can eat them fresh or freeze them for later. And, since raspberries are a great source of nutrients, vitamins and minerals, they make a healthy addition to any diet. Raspberry plants are self-pollinating. Planting another variety can increase fruit production.

Caroline Raspberry (*Rubus* 'Caroline' PP10,412) ***

HEIGHT: 3-4' WIDTH: 3-4' ZONE: 4-7 BLOOM: Early May RIPENS: Late August

This is a University of Maryland variety that has proven to be one of the most productive varieties for the East and Midwest. It is considered to be the new standard for everbearing varieties. Fruit is larger than 'Heritage', more productive and the taste is very flavorful. 'Caroline' is vigorous and more tolerant of root rot and yellow rust than 'Heritage'. Fruits earlier than 'Heritage'. Leaf coverage reduces sunscald on berry.

Fallgold Raspberry (*Rubus* 'Fallgold') ***

HEIGHT: 3-4' WIDTH: 3-4' ZONE: 4-7 BLOOM: Early May RIPENS: Late July

Everbearing raspberry. New golden yellow everbearing variety that produces two full crops each year. Spring crop and then a second crop July-August right up until a hard frost. Fruit is very sweet and juicy, firm, extra large conical berries are borne in large clusters. Excellent for all purposes. Hardy, vigorous and very productive.

Killarney Raspberry (*Rubus* 'Killarney')

HEIGHT: 3-4' WIDTH: 3-4' ZONE: 3-7 BLOOM: Early May RIPENS: Late July

Summer bearing. Attractive red berries with great aroma and flavor. Excellent for freezing, canning and of course pie. One of the most disease resistant varieties, making it very easy to maintain. Sturdy growth habit. Released in Manitoba in 1961, thus very winter hardy. A distinct improvement over 'Latham'.

Latham Raspberry (*Rubus* 'Latham') ***

HEIGHT: 3-4' WIDTH: 3-4' ZONE: 3-7 BLOOM: Early May RIPENS: Early July

Introduced by the University of Minnesota in 1920. Red, ripening over a long period. Sure cropper for home and commercial use.

Royalty Raspberry (*Rubus* 'Royalty') ***

HEIGHT: 3-4' WIDTH: 3-4' ZONE: 4-7 BLOOM: Early May RIPENS: Late July

Cross between purple and red raspberries. Features large fruit size, good plant vigor and high fruit quality. Has a sweet, light flavor.

POLLINATION RECOMMENDATIONS

Aronia (Black Chokeberry) – 'Viking' and the species are self-fruitful.

Blueberries – Will generally be pollinated in WI, but will produce much better with two varieties.

Cherry (Bush) – Partially self-pollinating, but best to put in several plants.

'Consort' Black Currant – Self-fruitful. We do not recommend currants or gooseberries in areas where White Pine trees grow.

Cranberry – Self-fruitful.

Elderberry – Named cultivars greatly benefit from planting more than one cultivar.

Grape Vines – Self-fruitful.

Honeyberry – Requires a pollinator (more than one cultivar).

Jostaberry – Self-fruitful.

Juneberry – Self-fruitful, but cultivars like 'Regent' are more fruitful if grown with another cultivar or the open-pollinated species.

Raspberry – Self-fruitful (UWEX says that cross-pollination is helpful to production). Keep red raspberries and black raspberries well-separated for plant health reasons.