

## Hanson's Garden Village **Native Perennial List 2023**

Hanson's Garden Village 2660 Cty Hwy G Rhinelander, WI 54501 Phone: 715-365-2929 Fax: 715-365-3644

www.hansonsgardenvillage.com

OTHER NATIVE VARIETIES MAY BE AVAILABLE IN SMALLER QUANTITIES OR GROWN TO ORDER

2023 Native Perennial Sizes & Prices

2.5" Black Pots (32 pots/flat) - \$2.99 each

2.5" Terra Cotta Colored Pots (32 pots/flat) - \$3.99 each

4.5" Deep Terra Cotta Colored Pots (12 pots/flat) - \$7.49 each

Most Shrubs Are Priced Individually

WETLAND: Plants that tolerate or prefer moist or wet locations MESIC: Plants that prefer loamy soil neither too wet nor too dry DRY MESIC: Plants that grow in loamy or sandy conditions MOIST MESIC: Plants that prefer moist conditions WOODLAND: Plants that grow in humus-rich woodland soils

DRY WOODLAND: Plants that grow in dry woodland conditions

NATIVE TO NWDS (Northwoods): Plants native to one or more of the following counties in Wisconsin: Iron, Florence, Forest, Langlade, Lincoln, Marinette, Oneida, Price, and Vilas

NATIVE TO WI: Plants native to Wisconsin but not the above counties

NATIVE TO US: Plants native to the United States but not Wisconsin

SUN = S PART SUN = PS PART SHADE = PSH SHADE = SH

E = Plant Suited for EnviroLok

\* = Plants Suited for Biologs

FORDS (MAN DEL GAMERS)	2 511 2070 42 00	2.511	TO DOTS	42.00	4 5 11 70 00		
FORBS (WILDFLOWERS)	2.5" POTS - \$2.99		TC POTS			TS - \$7.49	
BOTANICAL AND COMMON NAMES	LOCATION	HEIGHT		BLOOM	LIGHT	NATIVE	<u>COMMENTS</u>
ACHILLEA MILLIFOLIUM (Yarrow) E	MESIC	2-3'	WH	JU-OCT	S	NWDS	Large, compact white flower heads; Deer resistant
ACORUS AMERICANUS (Sweet Flag) *	WETLAND	1-2'	YEL/BR	JN-JU	S	WI	Sweet smelling when crushed; Shoreline stabilizer
ACTAEA PACHYPODA (White Baneberry, Doll's Eyes)	WOODLAND	2'	WH	MAY-JN	SH	NWDS	White or red berries; Not edible; Deer resistant
ACTAEA RACEMOSA (Bugbane)	WOODLAND	6-7'	WH	JN-JU	PSH-SH	US	Insect repellant properties; Deer resistant
AGASTACHE FOENICULUM (Anise or Lavender Hyssop)	DRY MESIC	3'	BL	JN-AUG	PS	NWDS	Herb; Attracts Bees; Deer resistant; Anise scent
AGASTACHE SCROPHULARIIFOLIA (Giant Purple Hyssop)	DRY TO MOIST MESIC	6'	PUR	JU-OCT	S-PS	WI	Highly attractive to pollinators; Tall pale purple plumes
ALLIUM CANADENSE (Meadow or Wild Garlic)	MESIC	12-18"	PK	MAY-JU	S-SH	WI	Can be used in place of chives; Deer resistant
ALLIUM CERNUUM (Nodding Pink Onion)	MESIC	18"	PK	JU-AUG	S	WI	Nodding pink flower; Self sows readily; Deer resistant
ALLIUM STELLATUM (Prairie Onion)	MESIC	12-14"	PUR	JU-AUG	S-PS	WI	Attracts pollinators; Deer resistant
ANAPHALIS MARGARACITA (Pearly Everlasting) E	DRY MESIC	1-2'	WH	JN-SEP	S-PS	NWDS	Tolerates the driest soils; Flowers fine for drying; Deer resistant
ANEMONE CYLINDRICA (Thimbleweed) E	MESIC; DRY MESIC	1-3'	WH	JN-AUG	S-PS	NWDS	Thimble-like flower head; Prefers dry, open spaces; Deer resistant
ANEMONE VIRGINIANA (Tall Thimbleweed)	MESIC	1-3'	WH	JN-AUG	PS	NWDS	Found in open woods and clearings
ANTENNARIA SPP. (Pussytoes)	MESIC; DRY MESIC	12"	WH	MAY-JN	S-PS	NWDS	Low growing silvery foliaged plant; Mat forming; Dry areas
APOCYNUM SPP. (Dogbane) E	MESIC; DRY MESIC	2-5'	WH	MAY-AUG	S-PS	NWDS	Relative to milkweeds; Sandy soils
AQUILEGIA CANADENSIS (Wild Columbine) E	WOODLAND	1-2'	R/GOLD	MAY-JN	S-SH	NWDS	Plant with birch for outstanding combo; Hummingbirds; Deer resistant
ARALIA NUDICAULIS (Wild Sarsaparilla)	WOODLAND	1-1.5'	WH	MAY-JN	SH	NWDS	Burgundy-red foliage in the spring; Blue-black berries
ARALIA RACEMOSA (Spikenard)	WOODLAND	4'	GR	JU-AUG	PS-SH	NWDS	Large shade plant; Ggreen flowers followed by berries; Deer resistant
ARISAEMA TRIPHYLLUM (Jack in the Pulpit)	WOODLAND	2'	GR/YEL	APR-JU	PASH-SH	NWDS	Brilliant red berries; Attractive specimen; Seeds readily; Deer resistant
ARTEMISIA LUDOVICIANA (White Sage) E	DRY MESIC	2-3'	WH	JU-SEP	S-PS	NWDS	Silvery leaves; Striking when seen from afar; Deer resistant
ASARUM CANADENSE (Wild Ginger)	WOODLAND	6"	RED/BR	APR-JN	PSH-SH	NWDS	Unusual brownish flower hidden under foliage; Deer resistant
ASCLEPIAS INCARNATA (Swamp Milkweed) *	WETLAND	3-4'	PK	JN-AUG	S-PS	NWDS	Excellent fragrance; Butterflies; Deer resistant
ASCLEPIAS SULLVANTII (Prairie Milkweed)	MESIC	3'	PK	JN-AUG	S	WI	Threatened; Similar to Common Milkweed but less aggressive; Deer resistant
ASCLEPIAS SYRIACA (Common Milkweed)	MESIC	3'	WH/PK	JN-AUG	S	NWDS	Attracts pollinators especially monarchs; Deer resistant
ASCLEPIAS TUBEROSA (Butterflyweed) E	DRY MESIC	2'	OR	JN-AUG	S-PS	WI	Grows in sun and pure sand; Butterflies; Deer resistant
ASCLEPIAS VERTICILLATA (Whorled Milkweed) E	DRY MESIC	2'	WH	JU-SEP	S-PS	NWDS	The nectar of the flowers attracts many kinds of insects; Deer resistant
ASTER - DOELLINGERIA UMBELLATA (Flat-Topped Aster) *	MESIC; WETLAND	5'	WH	JU-SEP	S-PSH	NWDS	Flat-lacy flowerheads often seen in large masses
ASTER - EURYBIA MACROPHYLLA (Big-Leaved Aster)	WOODLAND	1'	BL	AUG-OCT	PS-SH	NWDS	Large-leaved and stoloniferous; Great groundcover
ASTER - SYMPHYOTRICHUM CORDIFOLIUS (Heart-Leaved Aster)	WOODLAND	3'	BL	AUG-OCT	PS-SH	NWDS	Heart-shaped leaves; Medium conditions; Attracts pollinators
ASTER - SYMPHYOTRICHUM ERICOIDES (Heath Aster) E	WOODLAND	2'	WH	AUG-OCT	S-PS	NWDS	Dary sandy soils; Seeds readily
ASTER - SYMPHYOTRICHUM LAEVIS (Smooth Aster) E	MESIC	4'	BL	AUG-OCT	S-PS	NWDS	Butterflies; Sandy soil
ASTER - SYMPHYOTRICHUM LATERIFLORUM (Calico Aster) E	MESIC	2'	WH/LAV	AUG-OCT	S-SH	NWDS	Found in fields and clearnings; Fall bloomer
ASTER - SYMPHYOTRICHUM NOVAE ANGLIAE (New England Aster) E	DRY TO MOIST MESIC	5'	PUR/PK	AUG-OCT	S-PS	NWDS	Handsome flowers continue to bloom after frost
ASTER - SYMPHYOTRICHUM OOLENTANGIENSE (Sky Blue Aster) E	MESIC	3'	BL	AUG-OCT	PS	NWDS	Abundant dark lavender-blue flowers; Drought tolerant
ASTER - SYMPHYOTRICHUM PILOSUM (Frost Aster) E	DRY MESIC	3'	WH	SEP-OCT	S-PS	NWDS	Erosion control for poor soils; Good for revegetation
ASTER - SYMPHYOTRICHUM PUNICEUS (Swamp Aster) *	WETLAND	5'	LAV	AUG-SEP	S-PS	NWDS	Large flowers brighten shady; Wet sites
ASTRAGULUS CANADENSIS (Canada Milkvetch)	MESIC	3'	CR/WH	JN-AUG	S-PS	NWDS	Nitrogen Fixer; Adaptable
BLEPHILIA CILIATA (Downy Wood Mint)	WOODLAND	1'	PUR	JU-SEP	S-PS	WI	Smells of mint; Attracts bees; Deer resistant
BLEPHILIA HIRSUTUS (Hairy Wood Mint)	WOODLAND	3'	WH	JN-SEP	PS-SH	WI	Aromatic; Attracts bees; Deer resistant
CALTHA PALUSTRIS (Marsh Marigold) *	WETLAND	2'	YEL	APR-MAY	S-SH	NWDS	Covers wetlands with gold; Mounded shiny green leaves; Deer resistant
CAMPANULA ROTUNDIFOLIA (Harebells) E	MESIC; DRY MESIC	12"	BL	JN-OCT	S-PS	NWDS	Dainty blue flowers above basal foliage; Deer resistant
CAULOPHYLLUM THALICTROIDES (Blue Cohosh)	WOODLAND	2'	GR/YEL	APR-MAY	PS-SH	NWDS	Beautiful blue berries; Deer resistant
CHAMAENERION ANGUSTIFOLIUM (Fireweed) E	DRY TO MOIST MESIC	4'	PK	JU-AUG	S-PS	NWDS	Colonizing plant; Showy pink flowers similar to phlox; Deer resistant
CHELONE GLABRA (White Turtlehead) *	MOIST MESIC; WETLAND	4-5'	WH	JU-SEP	S	NWDS	Turtlehead-like, pale pink-tinged flowers; Deer resistant
COREOPSIS LANCEOLATA (Lanceleaf Coreopsis) E	MESIC	2'	YEL	MAY-AUG	S	WI	Blooms for a very long time in summer; Grows in poor soils; Deer resistant
COREOPSIS PALMATA (Prairie Coreopsis) E	DRY MESIC	2'	YEL	JN-AUG	S	WI	Excellent mat-forming plant for dry soils; Deer resistant
DALEA PURPUREUM (Purple Prairie Clover)	MESIC	1-3'	PUR	JN-AUG	S-PS	WI	Sparkling purple flowers; Fine, needlelike leaves; Nitrogen fixing; Deer resistant
DESMODIUM CANADENSE (Showy Tick Trefoil)	MESIC	4-5'	PUR	JU-AUG	S-PS	NWDS	Sticky seed pods; Woody stem
DODECATHEON MEADIA (Shooting Star)	WOODLAND	12"	WH	APR-JN	S-PS	WI	Unique comet-like flower; Goes dormant
ECHINACEA PALLIDA (Pale Purple Coneflower)	MESIC	2-3'	PUR	JN-JU	S-PS	WI	Drooping petals; A sea of these is stunning; Deer resistant

T	1						,
ERYNGIUM YUCCIFOLIUM (Rattlesnake Master)	DRY TO MESIC	4'	WH	JU-SEP	S	NWDS	Spiny round balls; Dry to moist conditions; Deer resistant
EUPATORIUM PERFOLIATUM (Boneset)	MOIST MESIC	4'	WH	JU-SEP	S-PS	NWDS	Flat-topped white flowers on top of perfoliate leaves; Deer resistant
EUPATORIUM RUGOSUM (White Snakeroot)	DRY WOODLAND	1-5'	WH	JU-SEP	PSH	NWDS	Blooms very late; Do not plant near pastures to avoid milk poisoning in animals
EUTROCHIUM MACULATUM (Joe Pye Weed)	WETLAND	4-6'	PK	JU-SEP	S-PS	NWDS	Soft old-rose color; Cutflower for large bouquets; Deer resistant
FRAGARIA VIRGINIANA (Wild Strawberry) E	DRY MESIC	6"	WH	APR-JN	S-SH	NWDS	Open groundcover for sunny, dry areas
GALIUM BOREALE (Northern Bedstraw)	WOODLAND	2'	WH	JN-JU	S-PS	NWDS	Forms large patches under pines and poplar; Found in Tamarack swamps; Deer resistant
GALIUM CONCINNUM (Shining Bedstraw)	DRY WOODLAND	2'	WH	APR-JU	PS-SH	NWDS	Sprawling perennial
GERANIUM MACULATUM (Wild Geranium)	WOODLAND	12"	PUR	APR-JN	S-SH	NWDS	Long blooming delicate pastel flowers; Leaves red in fall
GEUM RIVALE (Water Avens)	WETLAND	1-2'	PUR	MAY-JU	S-PS	NWDS	Interesting purple/red flowers; Found in wetland habitats
GEUM TRIFLORUM (Prairie Smoke)	MESIC	8-12"	PK	APR-JN	S-PS	WI	Unusual smoke-like seedheads; "Grandpa's Whiskers"; Deer resistant
HELENIUM AUTUMNALE (Sneezeweed)	MESIC; WETLAND	4'	YEL	AUG-OCT	S-PS	WI	Prolific late season bloomer
HELIANTHUS GIGANTEUS (Giant Sunflower)	MESIC; WETLAND	8'	YEL	JU-SEP	S-PS	NWDS	Long blooming; Abundant flowers; Deer resistant
HELIANTHUS HIRSUTUS (Rough Sunflower) E	DRY MESIC	3-5'	YEL	AUG-SEP	S-PS	NWDS	Large, bright yellow flowers for late season color; Deer resistant
HELIANTHUS OCCIDENTALIS (Western Sunflower) E	DRY MESIC	2-3'	YEL	JU-SEP	S-PS	WI	Less aggressive than other Helianthus varieties; Rhizomatous; Deer resistant
·		3'	YEL		S-PS		<del>, 99</del>
HELIANTHUS STRUMOSUS (Woodland Sunflower) E	DRY MESIC			JU-SEP		NWDS	Woodland edges
HELIOPSIS HELIANTHOIDES (Ox-Eye Sunflower) E	MESIC	4-5'	YEL	JU-SEP	S-PS	NWDS	Bright gold flower; Long lasting cutflower; Deer resistant
HIBISCUS LAEVIS (Rose Mallow)	MOIST MESIC	5'	PK	JU-SEP	S-PS	US	Prefers sunny, wetter areas; It is slow to develop in spring but grows and blooms dramatically in the heat of summer
HYPERICUM PYRIMIDATUM (Great St. John's Wort) *	WETLAND	6'	YEL	JU-AUG	S-PS	NWDS	Showy, shrub-like clump; Shoreline; Streambanks; Deer resistant
IRIS VERSICOLOR (Blue Flag) *	WETLAND; MESIC	2-3'	BL	MAY-JU	S-PS	NWDS	Will grow in shallow water
LESPEDEZA CAPITATA (Round Headed Bush Clover)	DRY MESIC	2-4'	CR/WH	AUG-SEP	S-PS	WI	Nitrogen fixer; Ball-like seedhead provides winter interest; Deer resistant
LIATRIS ASPERA (Rough Blazing Star) E	MESIC; DRY MESIC	2-3'	PUR	JU-OCT	S-PS	NWDS	Thrives in dry soil; Attracts monarchs
LIATRIS LIGULISTYLIS (Showy Blazing Star)	MESIC	4-5'	PUR	AUG-SEP	S-PS	WI	Attracts Monarchs like crazy; Deer resistant
LIATRIS PYCHNOSTACHYA (Prairie Blazing Star)	MESIC	3-4'	PUR	JU-SEP	S-PS	WI	Often used as an ornamental; Attracts butterflies
LIATRIS SPICATA (Marsh Blazing Star)	MESIC	3-5'	PUR	JU-SEP	S-PS	WI	The liatris most often grown in the perennial garden; Excellent cut flower; Deer resistant
LOBELIA CARDINALIS (Cardinal Flower)	WETLAND; MOIST MESIC	4'	RED	JU-SEP	S-PSH	NWDS	Streambanks, moist meadows; Fire-red flowers; Deer resistant
LOBELIA SIPHILITICA (Great Blue) *	WETLAND	3'	BL	JU-SEP	S-PS	NWDS	Self-sowing; Highly adaptable to many soils; Deer resistant
LOBELIA SPICATA (Pale Spiked Lobelia)	MESIC	1-2'	BL	MAY-JN	S-PS	NWDS	Fields, open woods; Flowers may vary in color
LUPINUS PERENNIS (Wild Lupine) E - LIMITED AVAILABILITY	MESIC	2'	BL	MAY-JU	S-PS	NWDS	Easily spread by seed; Beautiful blue flowers
LYCOPUS UNIFLORUS (Northern Horehound) *	WETLAND	1-2'	WH	JU-SEP	S-PS	NWDS	Roots eaten by wildlife, ruffed grouse; Roots have tubers
LYSIMACHIA CILIATA (Fringed Loosestrife)	WOODLAND	2'	YEL	JU-SEP	S-SH	NWDS	Prefers moist conditions; Good use as a shady groundcover
LYSIMACHIA QUADRIFOLIA (Prairie/Whorled Loosestrife)	WETLAND	2'	YEL	JU-AUG	S-PS	NWDS	Good for native bees
LYTHRUM ALATUM (Winged Loosestrife) *	WETLAND	2-3'	PUR	JN-SEP	S	NWDS	Pretty purple flowers; Attracts pollinators
MAIANTHEMUM CANADENSE (Canada Mayflower)	WOODLAND	8"	WH	MAY-JN	PS-SH	NWDS	Red berries in fall; Deer resistant
MAIANTHEMUM RACEMOSUM (Solomon's Plume, False Solomon's Seal)	WOODLAND	2'	CR/WH	APR-JN	S-SH	NWDS	Brilliant red berries in fall; Creamy plume spring; Horizontal foliage; Deer resistant
MERTENSIA VIRGINICA (Virginia Bluebells)	WOODLAND	1-2'	BL	APR-MAY	PSH-SH	WI	Spring ephemeral (goes dormant); Self sows; Deer resistant
MENYANTHES TRIFOLIATA (Bog Bean) *	WETLAND	8-12"	WH	APR-JU	S-PS	NWDS	Pretty fringed white flowers; Shallow water ponds & bogs
		2'	PUR	JN-SEP	S-PS	NWDS	
MIMULUS RINGENS (Monkey Flower) *	WETLAND	4"					Do not allow it to dry out; Long blooming; deer resistant
MITCHELLA REPENS (Partridge Berry)	WOODLAND		WH	JN-JU	PS-PSH	NWDS	Creeps along the ground (1') in acid, humus-rich soil; Fragrant flowers in pairs
MONARDA FISTULOSA (Wild Bergamot) E	DRY TO MESIC	2-4'	PUR	JU-SEP	S-PS	NWDS	Highly adaptable to soil conditions; Deer resistant
MONARDA PUNCTATA (Dotted Mint) E	DRY TO MESIC	2'	WH/LAV	JU-SEP	S-PS	NWDS	Minty scented; Distinguished by its unusual multiple whorls of flowers; Deer resistant
OENOTHERA BIENNIS (Evening Primrose)	MESIC	4-6'	YEL	JU-OCT	S-PS	NWDS	Biennial; Loved by goldfinches; Deer resistant
PACKERA (SENECIO) AUREUS (Golden Groundsel)	MOIST MESIC; WETLAND	1-3'	YEL	MAY-AUG	S-PSH	NWDS	Adaptable to many soils; Flowers above a basal rosette; Deer resistant
PARTHENIUM INTEGRIFOLIUM (Wild Quinine)	MESIC	3-4'	WH	JU-SEP	S	WI	Found in prairies and open woods; Deer resistant
PENSTEMON DIGITALIS (Tall Beardtongue)	MESIC	4'	WH	JN-JU	S-PSH	NWDS	Attracts pollinators; Sandy, loamy soils; Deer resistant
PENSTEMON GRANDIFLORUS (Large Beardtongue)	MESIC	1-2'	PUR	MAY-JN	S-PS	WI	Large inflated tubular flowers; Nectar source; Deer resistant
PENSTEMON HIRSUTUS (Hairy Beardtongue) E	MESIC	18"	PUR	MAY-JN	S-SH	WI	Flowers pink to violet; Rock gardens; Wooly stem.; Very good for dry soils; Deer resistant
PHLOX DIVARICATA (Woodland Phlox)	WOODLAND	12"	BL	APR-JN	PSH-SH	WI	Fragrant flowers; Colonizes
PHLOX PILOSA (Prairie Phlox)	MESIC; DRY MESIC	2'	PK	MAY-JU	S-PS	WI	Good cut flower; Bright pink magenta color
PHYSOSTEGIA VIRGINIANA (Obedient Plant)	MOIST MESIC	4'	PK	AUG-SEP	S-PS	WI	Aggressive spreader; Attracts pollinators; Deer resistant
PODOPHYLLUM PELTATUM (Mayapple)	WOODLAND	1-2'	WH	MAY-JN	PSH-SH	WI	Large leaves unfurl like an umbrella; Colonizes; Wildlife; Deer resistant
POLYGONATUM BIFLORUM (Solomon's Seal)	WOODLAND	4'	CR/WH	MAY-JN	S-SH	WI	Small greenish-bells on bottom side of large leaves; Blue-black berries in fall
POLYGONUM AMPHIBIUM (Water Smartweed) *	WETLAND	1-3'	PK	JN-SEP	S	NWDS	Pink flowers; Grows in water; Aquatic less than 7' deep
PYCNANTHEMUM VIRGINIANUM (Mountain Mint) E	MESIC	3'	WH	JU-SEP	S-PS	NWDS	Dry erosion control; Bunches of white flowers at stem tops; Deer resistant
RATIBIDA PINNATA (Yellow Prairie Coneflower)	MESIC	2-5'	YEL	JU-SEP	S-PS	WI	Drooping petals; Waves in every breeze; Self sows; Deer resistant
RUDBECKIA HIRTA (Black-Eyed Susan) E	MESIC	1-2'	YEL	JN-OCT	S-PS	NWDS	Self-sowing annual or biennial; Good cutflower; Deer resistant
RUDBECKIA LACINIATA (Cutleaf Coneflower)	MESIC	5-7'	YEL	JU-OCT	S-SH	NWDS	Very majestic with beautiful yellow fall flowers; Deer resistant
RUDBECKIA SUBTOMENTOSA (Sweet Black-Eyed Susan)	MESIC	4-5'	YEL	AUG-OCT	S-PS	WI	Tolerant of clay and heat; Deer resistant
RUDBECKIA TRILOBA (Brown-Eyed Susan)	MESIC	5'	YEL	AUG-OCT	S S	WI	Self seeds; Moderate sites; Deer resistant
RUELLIA HUMILIS (Wild Petunia) E	DRY TO MESIC	12"	PUR	JN-AUG	S	WI	
SALVIA AZUREA (Blue Sage)		5'			S		Endangered; Pretty flower  Great blue color; Attracts pollinators; Deer resistant
DALVIA AZUKTA IBIDE SAPEL	MESIC	ο.	BL	AUG-OCT	5	WI	oreat blue color, Attracts pollinators; Deer resistant
SATUREJA (CLINOPODIUM) VULGARE (Wild Basil)	WOODLAND	2'	PK	JU-SEP	S-PSH	NWDS	Pink flowers, Aromatic; Attracts pollinators

### STATE OF WIRTS   4.5 MISS   4	SCOTELEANIA LATENITEONA (IVIau Dog Skullcap)	WEILAND		DL	JIN-2LF	3-13	INVVD3	Once thought to cure rables, been resistant
SPANDLE CARRESTANT Company Field   Fig.   Vis.   A SEP   Vis.	SENNA (CASSIA) HEBECARPA (Wild Senna)	MESIC; DRY MESIC	4-5'	YEL	JU-AUG	S-PS	WI	Shrublike plant; birds relish seeds in the pods; Nitrogen fixer
Description	SILPHIUM INTEGRIFOLIUM (Rosin Weed)	MESIC	3-5'	YEL	JU-SEP	S	WI	Tall yellow flowers; Loved by birds; Deer resistant
STREAM PRINTED CALL PLAN	SILPHIUM LACINIATUM (Compass Plant)	MESIC	8'	YEL	JN-SEP	S-PS	WI	Huge leaves orienting north and south; Deer resistant
SECTION   SECT								
COLUMNO CONTROL STATE OF THE COLUMN STATE OF								
COLDMINON - OUDCAMON SPET Coldwards (See Feed )								
Columbio		1						
DELICATION   SELECTION   Security   Securi		MESIC		YEL	AUG-OCT	S-PS	WI	
COLORINGO - SOLONO COLORITA (Color Option 1)	GOLDENROD - SOLIDAGO CANADENSIS (Canada Goldenrod) E	MESIC	2-6'	YEL	JU-OCT	S-PS	NWDS	Rhizomatous; Plumy flowerhead; Erosion control; Aggressive
COLORINGO - SOLONO COLORITA (Color Option 1)	GOLDENROD - SOLIDAGO FLEXICAULIS (Zig Zag Goldenrod)	WOODLAND	3'	YEL	AUG-OCT	PS-SH	NWDS	Interesting zig zag stems; Deer resistant
DRIVING SILDAD UNIDER play (softward)   DRY MISC   7   NVI   All SIT   N   NVI   All SIT   All SIT   All		MESIC	6'	YEL		PS	NWDS	
DOTS   MARCH   Control								
MODISHED SOLIDORA (Disorded Selection ()   WITHARD   7 Y   19								
MILECREMA DISCOVERN file   Meaded whee    WETLAND   7   Will   JR-19   5-95   NV05   Trajett, upper file flower stakes, Deer resistant   MILECREMA DISCOVERN file   Meaded whee    WODDLARD   7   GM/PH   JR-19   NV05   NV05   Nv05   Revenue to resistant   MILECREMA DISCOVERN file   Meaded whee    WODDLARD   7   GM/PH   JR-19   NV05   Nv05   Revenue to resistant   MILECREMA DISCOVERN file   Meaded whee    WODDLARD   7   GM/PH   JR-19   NV05   Nv05   Revenue to resistant   MILECREMA DISCOVERN file   Milecrema   MILECREMA DISCOVERN file   MILECREMA DISCOVERN								
THALESCEND MICHAEL Meadow Run								
PAGE	GOLDENROD - SOLIDAGO ULIGINOSA (Bog Goldenrod) *	WETLAND	2-5'	YEL	JU-SEP	S-SH	NWDS	Straight, upright flower stalks; Deer resistant
MARIE   CORRECTION   Construction	THALICTRUM DASYCARPUM (Tall Meadow Rue)	WETLAND	5'	WH	JN-JU	S-PS	NWDS	Airy white flowers showiest in masses; Statuesque plant; Deer resistant
MARIE   CORRECTION   Construction	THALICTRUM DIOICUM (Early Meadow Rue)	WOODLAND	2'	GR/YEL	APR-MAY	PS-SH	NWDS	Excellent replacement for ferns in drier locations: Delicate foliage similar to a Columbine: Deer resistant
TRUCKINTA ORIENTS (Dits Spaleworth)								
TRELINAL PRICE NEW York Page 11 Tillion								
WOLDLAND   12-187   VEL.   APR-MAY   PSI-SIT   NVDS   Molecular	TRILLIUM GRANDIFLORUM (Great White Trillium)	WOODLAND	1'	WH	MAY-JN	PSH-SH	NWDS	White flower turning pink with age; Forms large colonies in rich deciduous woods; Spring ephemeral
WOLDLAND   12-187   VEL.   APR-MAY   PSI-SIT   NVDS   Molecular	TRILLIUM LUTEUM (Yellow Fragrant Trillium)	WOODLAND	12-15"	YEL	APR-JN	PSH-SH	US	Yellow flowers; Interesting spotted leaves; Spring ephemeral
VERDIAN ASSISTEDIAN (WAS DASS)	UVULARIA GRANDIFLORA (Merrybells)	WOODLAND	12-18"	YEL	APR-MAY	PSH-SH	NWDS	
Version Anstarta (Blob Verwinn)*								
VERBINAL STRICTA (Houry Verwani)   E								
MESIC   Mesi								
WILLOW TRIGHTUCHN (Luther's Soot)								
WOLDEFINITA FEASONDOES   EMPT STRAWERY   E   WOODLAND, DR V   VEL   APR-MAY   5-95   W   Fromment beak-corange stamens; Flowers flattened; Panaylike   WALDEFINITA FEASONDOES   WALDEFINITA FEASON	VERNONIA FASCICULATA (Ironweed)	MESIC; WETLAND	6'	PUR	JU-SEP	S-PS	WI	Great late season color; Butterflies; Deer resistant
WOOLAND.FIRM PACKARONIDES   BOWDLAND, DRY WOODLAND   VEL   APR-MN   5-95	VERONICASTRUM VIRGINICUM (Culver's Root)	MESIC	5'	WH	JN-AUG	S-PSH	NWDS	Curving tapered spires; Large vertical plant; Deer resistant
MAIDSTEINAL FRAGARIOIDS (Barren Strawberry)   E   WOODLAND; 2   YEL   APR-MAY   P-S-9   WIDS   Groundcover for dry to moist woods; Stopes   ADDRAG   ADDRA	VIOLA PEDATA (Bird's Foot Violet) E	DRY MESIC: MESIC	4"	PUR	APR-JN	S-PS	WI	
MODIAND   2'   EL   APR-MAY   5-PS   NVD   Seal leaves in a heart shape. Attracts pollinators								
September   Sept		· ·						
ANDROPOGON SCDARIUS (Little Bluestern Grass) E BOUTELOUA CURTIFERDULA (See Oats Grams) DRY MESIC 2-3' 5-PS NWD5 DY, sandy areas; Turns pinkish-gold in fall with silvery seedheads BOUTELOUA CURTIFERDULA (See Oats Grams) DRY MESIC 2-1' 5-PS NWD5 Seedheads on one side of stalk making it interesting in fall, Needs well-drained soil CALAMAGROSTIS CANADENSIS (Bluejoint Grass)* WETLAND 3-4' 5-PS NWD5 Most common marsh plant; Flowerheads all face the same direction CAREX REVIOUR Springs Oval Seegle) DRY TO MOST MESIC 1' PS NWD5 Most common marsh plant; Flowerheads all face the same direction CAREX REVIOUR Springs Oval Seegle) NWD5 Most common marsh plant; Flowerheads all face the same direction CAREX CRIVITA (Seed Seegle)* WETLAND 2' 5-PS NWD5 Seedheads on one side of stalk making it interesting in fall, Needs well-drained soil CAREX ENCORNAS (Bottlebrushs Seegle) DRY TO MOST MESIC 1' PS NWD5 Most common marsh plant; Flowerheads all face the same direction CAREX ENCORNAS (Bottlebrushs Seegle)* WETLAND 2' 5-PS NWD5 NWD5 Alder thickets, versatile CAREX LAUGHARP (Wool) Fruit Seegle) WETLAND 3' 5-SH NWD5 Alder thickets, swamps, wet ditches, wet meadows; Wildlife food CAREX LAUGHARP (Wool) Fruit Seegle) WETLAND 2' PS-SH NWD5 Alder thickets, swamps, wet ditches, wet meadows; Wildlife food CAREX LAUGHARP (Wool) Fruit Seegle) WETLAND 2' PS-SH NWD5 Alder thickets, swamps, wet ditches, wet meadows; Wildlife food CAREX LAUGHARP (Wool) Fruit Seegle) WETLAND 2' PS-SH NWD5 Alder thickets, swamps, wet ditches, wet meadows; Wildlife food CAREX LAUGHARP (Wool) Fruit Seegle) WETLAND 2' PS-SH NWD5 Alder thickets, swamps, wet ditches, wet meadows; Wildlife food CAREX LAUGHARP (Wool) Fruit Seegle) WETLAND 2' PS-SH NWD5 Alder thickets, swamps, wet ditches, wet meadows; Wildlife food CAREX LAUGHARP (Wool) Fruit Seegle) WETLAND 2' PS-SH NWD5 Alder thickets, swamps, wet ditches, wet meadows; Wildlife food CAREX								
ANDROPOGON SCRARDII (fig Bluestem Grass)  MESIC  5-8'  5 NWD5  Dry sandy areas; Turns pinkish gold in fall with silvery seedheads  Dry MCSIC  2'  5 WID  Seedheads on one side of stalk making it interesting in fall, Needs well-drained soil  CALAMAGROSTIS CANADRINS (Bluejoint Grass)*  WETLAND  3-4'  5-95  NWD5  CAREX REVIDER (Plains DVal Seedge)  DRY TOM MOIST MESIC  CAREX REVIDER (Plains DVal Seedge)  DRY TOM MOIST MESIC  CAREX REVIDER (Plains DVal Seedge)  WETLAND  2'  5-95  NWD5  Alse seedheads on one side of stalk making it interesting in fall, Needs well-drained soil  CAREX REVIDER (Plains DVal Seedge)  DRY TOM MOIST MESIC  CAREX REVIDER (Plains DVal Seedge)  NETLAND  2'  5-95  NWD5  Alse seedhead so haped like bottlebrushes; Wildlife food.  CAREX CRIVITA (Sickle Seedge)*  WETLAND  3'  5-95  NWD5  Alse seedhead shaped like bottlebrushes; Wildlife food.  CAREX HASTER(IDNA (Porcupine Seedge)*  WETLAND  3'  5-95  NWD5  Alse intickets, swamps, wet ditches, wet meadows; Wildlife food  CAREX LASIDICARPA (Woolly Frut Seedge)  WETLAND  2'  9-95-91  NWD5  Actively grows during the spring and fall when soil temperatures are cool  CAREX PENSIVANICA (Pennsyknaia Seedge)  MESIC  2'  5-95  WID  Actively grows during the spring and fall when soil temperatures are cool  CAREX PENSIVANICA (Pennsyknaia Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell  CAREX STORANIA (Seed Bottlebrush Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell  CAREX STORANIA (Seed Bottlebrush Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil temperatures are cool  CAREX PENSIVANIA (Seensyknaia Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil temperatures are cool  CAREX PENSIVANIA (Pennsyknaia Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil temperatures are cool  CAREX STRORAS (Delleace Bottlebrush Grass)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil t	ZIZIA AUREA (Golden Alexander)	MOIST MESIC						
ANDROPOGON SCRARDII (fig Bluestem Grass)  MESIC  5-8'  5 NWD5  Dry sandy areas; Turns pinkish gold in fall with silvery seedheads  Dry MCSIC  2'  5 WID  Seedheads on one side of stalk making it interesting in fall, Needs well-drained soil  CALAMAGROSTIS CANADRINS (Bluejoint Grass)*  WETLAND  3-4'  5-95  NWD5  CAREX REVIDER (Plains DVal Seedge)  DRY TOM MOIST MESIC  CAREX REVIDER (Plains DVal Seedge)  DRY TOM MOIST MESIC  CAREX REVIDER (Plains DVal Seedge)  WETLAND  2'  5-95  NWD5  Alse seedheads on one side of stalk making it interesting in fall, Needs well-drained soil  CAREX REVIDER (Plains DVal Seedge)  DRY TOM MOIST MESIC  CAREX REVIDER (Plains DVal Seedge)  NETLAND  2'  5-95  NWD5  Alse seedhead so haped like bottlebrushes; Wildlife food.  CAREX CRIVITA (Sickle Seedge)*  WETLAND  3'  5-95  NWD5  Alse seedhead shaped like bottlebrushes; Wildlife food.  CAREX HASTER(IDNA (Porcupine Seedge)*  WETLAND  3'  5-95  NWD5  Alse intickets, swamps, wet ditches, wet meadows; Wildlife food  CAREX LASIDICARPA (Woolly Frut Seedge)  WETLAND  2'  9-95-91  NWD5  Actively grows during the spring and fall when soil temperatures are cool  CAREX PENSIVANICA (Pennsyknaia Seedge)  MESIC  2'  5-95  WID  Actively grows during the spring and fall when soil temperatures are cool  CAREX PENSIVANICA (Pennsyknaia Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell  CAREX STORANIA (Seed Bottlebrush Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell  CAREX STORANIA (Seed Bottlebrush Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil temperatures are cool  CAREX PENSIVANIA (Seensyknaia Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil temperatures are cool  CAREX PENSIVANIA (Pennsyknaia Seedge)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil temperatures are cool  CAREX STRORAS (Delleace Bottlebrush Grass)  WETLAND  2'  5-95  NWD5  Has a strong, peppery smell on the spring and fall when soil t				ILL	APR-JN	S-PS	NWDS	Found in moist prairies; Good for butterflies
ANDROPOGON SCOPARUS (Little Bluestem Grass) E MESIC 2-3' S-PS NWDS Dry, sandy areas; Turns pinksh-gold in fall with silvery seedheads DOUTELOUAL CURTERPOUAL Side Data Grama) DEW MESIC 2' S W Seedheads on one side of state making it interesting in fall; Needs well-drained soil CALAMAGROSTIS CANADENSIS (Bluejoint Grass)* WETLAND 3-4' S-PS NWDS Most common marsh plant; Flowerheads all face the same direction (CAREX COMOSA) (Bottlebrush Sedge)* DRY TO MOIST MESIC 1' PS NWDS Sedge for drier areas; Versatile (CAREX COMOSA) (Bottlebrush Sedge)* WETLAND 2' S-PS NWDS Ally seedheads shaped like bottlebrushse; Wildlife food.  CAREX CRINTA (Sickie Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Algertsiteks, swamps, wet ditches, wet meadows; Wildlife food (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 2' PS-SH NWDS Algertsiteks, swamps, wet ditches, wet meadows; Wildlife (CAREX HYDERICAL) (Sand Bracted Sedge) MESIC 2' PS-SH NWDS Algersis (Sand Bracted Sedge) MESIC 2' PS-SH NWDS Has a strong pepery smell (CAREX HYDERICAL) (Sand Bracted Sedge) MESIC 2' S-PS NWDS Has a strong pepery smell all when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Sedge) WETLAND 2' S-SH NWDS Has a strong the spring and fall when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Sedge) WETLAND 2' S-SH NWDS Has a strong the spring and fall when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Broon Sedge) WETLAND 2' S-SH NWDS Has a strong the spring and fall when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Broon Sedge) WETLAND 3' S-SH NWDS Has a		T		1 111	APR-JN	S-PS	NWDS	Found in moist prairies; Good for butterflies
ANDROPOGON SCOPARUS (Little Bluestem Grass) E MESIC 2-3' S-PS NWDS Dry, sandy areas; Turns pinksh-gold in fall with silvery seedheads DOUTELOUAL CURTERPOUAL Side Data Grama) DEW MESIC 2' S W Seedheads on one side of state making it interesting in fall; Needs well-drained soil CALAMAGROSTIS CANADENSIS (Bluejoint Grass)* WETLAND 3-4' S-PS NWDS Most common marsh plant; Flowerheads all face the same direction (CAREX COMOSA) (Bottlebrush Sedge)* DRY TO MOIST MESIC 1' PS NWDS Sedge for drier areas; Versatile (CAREX COMOSA) (Bottlebrush Sedge)* WETLAND 2' S-PS NWDS Ally seedheads shaped like bottlebrushse; Wildlife food.  CAREX CRINTA (Sickie Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 3' S-SH NWDS Algertsiteks, swamps, wet ditches, wet meadows; Wildlife food (CAREX HYDERICAL) (Portugine Sedge)* WETLAND 2' PS-SH NWDS Algertsiteks, swamps, wet ditches, wet meadows; Wildlife (CAREX HYDERICAL) (Sand Bracted Sedge) MESIC 2' PS-SH NWDS Algersis (Sand Bracted Sedge) MESIC 2' PS-SH NWDS Has a strong pepery smell (CAREX HYDERICAL) (Sand Bracted Sedge) MESIC 2' S-PS NWDS Has a strong pepery smell all when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Sedge) WETLAND 2' S-SH NWDS Has a strong the spring and fall when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Sedge) WETLAND 2' S-SH NWDS Has a strong the spring and fall when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Broon Sedge) WETLAND 2' S-SH NWDS Has a strong the spring and fall when soil temperatures are cool (CAREX HYDERICAL) (Sand Bracted Broon Sedge) WETLAND 3' S-SH NWDS Has a	GRASSES, SEDGES & RUSHES	T		1 111	APR-JN	S-PS	NWDS	Found in moist prairies; Good for butterflies
BOUTECOUA CURTIPENDULA (Side Qats Grama)   DRY MESIC 2' S   WI		2.5" POTS - \$2.99						
CALAMAGROSTIS CANADENISE (Bluejoint Grass) * WETLAND 3-4' S-PS NWDS   Most common marsh plant, Flowerheads all face the same direction	ANDROPOGON GERARDII (Big Bluestem Grass)	2.5" POTS - \$2.99 MESIC	5	-8'		S	NWDS	Extensive root system makes this a good grass for erosion control
CAREX COMOSA (Bottlebrush Sedge)	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E	2.5" POTS - \$2.99  MESIC  MESIC	5	-8' -3'	S-	S -PS	NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads
CAREX COMOSA (Bottlebrush Sedge) * WETLAND 2' S-PS NVDS   Airy seedhead shaped like bottlebrushes; Wildlife food.	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC	5	-8' -3' 2'	S-	S -PS S	NWDS NWDS WI	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil
CAREX CRINITA (Sickle Sedge) * WETLAND 3' S-SH NWDS Gracefully drooping seedheads; Edges of lakes & banks; Wildlife CAREX HYSTERICINA (Porcupine Sedge) * WETLAND 3' S-SH NWDS Aggresses; Shoreline stabilizing CAREX LASIOCARPA (Woolly Fruit Sedge) WETLAND 2' PS-SH NWDS Aggresses; Shoreline stabilizing CAREX LASIOCARPA (Woolly Fruit Sedge) WETLAND 2' PS-SH NWDS Aggresses; Shoreline stabilizing CAREX MUEHLENBERGII (Sand Bracted Sedge) WETLAND 2' S-PS-SH NWDS Aggresses; Shoreline stabilizing CAREX MUEHLENBERGII (Sand Bracted Sedge) WETLAND 2' S-PS-SH NWDS Aggresses; Shoreline stabilizing CAREX PERORSA (Deflexed Bottlebrush Sedge) WOODLAND 8" PS-SH NWDS Soft, graceful "grass"; Rhizomatous groundcover; Wildlife CAREX RETRORSA (Deflexed Bottlebrush Sedge) WETLAND 2' S-SH NWDS Soft, graceful "grass"; Rhizomatous groundcover; Wildlife CAREX STRICTA (Pointed Broom Sedge) WETLAND 2' S-SH NWDS Hard seedhead that remains intact through fall making it an attractive choice for any garden planting CAREX STRICTA (Tussock Sedge) WETLAND 3' S-SH NWDS Hopertant wildlife food source; Found in most wetlands except bogs CAREX STRICTA (Tussock Sedge) WETLAND 3' S-PS NWDS Important wildlife food source; Found in most wetlands except bogs CAREX STRICTA (Tussock Sedge) WETLAND 3' S-PS NWDS Important wildlife food source; Common in all WI wetlands DANTHONIA SPICATA (Poverty Oat Grass) E DRY MESIC 1' S NWDS Acool season grass that loves poor, dry soil ELYMUS CANADENISIS (Canada Wild Rye) MESIC 4-5' S NWDS Acool season grass that loves poor, dry soil ELYMUS CANADENISIS (Canada Wild Rye) MESIC 4-5' S NWDS Actively grows during the spring and fall when soil temperatures are cool HIEROCHLOE DODARTA (Sweet Grass) MOIST MESIC 1-2' PS WI Dried grass has vanilla fragrance; Used for smudgling UNICUS TERUSIS (Soft Rush) WOODLAND; DRY WOODLAND 1-2' S NWDS ACTIVELY provided progressed bristle on seedended; Plant with spring ephemerals ELYMUS VIRGINICUS (Virginia Wild Rye) WETLAND 1-2' S NWDS ACTIVELY provided progress bristle on seedended; Plant with s	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND	5 2	-8' -3' 2' -4'	S-	S -PS S -PS	NWDS NWDS WI NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction
CAREX HYSTERICINA (Porcupine Sedge) * WETLAND 3' S-SH NWDS Aggressive; Shoreline stabilizing (CAREX LACUSTRIS (Lake Sedge) * WETLAND 3' S-SH NWDS Aggressive; Shoreline stabilizing (CAREX LAGOCARPA (Wooll) Pruti Sedge) WETLAND 2' PS-SH NWDS HAS as trong, pepperly smell (CAREX LAGOCARPA (Wooll) Pruti Sedge) MESIC 2' S-PS WI Actively grows during the spring and fall when soil temperatures are cool (CAREX MUEHLENBERGII (Sand Bracted Sedge) MESIC 2' S-PS WI Actively grows during the spring and fall when soil temperatures are cool (CAREX PENSYLVANICA (Pennsylvania Sedge) WOODLAND 8" PS-SH NWDS Soft, graceful "grass"; Rhizomatous groundcover; Wildlife (CAREX PENSYLVANICA (Pennsylvania Sedge) WETLAND 2' S-SH NWDS Howers are considered through fall making it an attractive choice for any garden planting (CAREX PENSYLVANICA (Pennsylvania Sedge) WETLAND 2' S-SH NWDS Howers are semble tiny brooms; Airy mound-shape; Clump former (CAREX STIPATA (Awi Fruited Sedge) WETLAND 3' S-SH NWDS Important wildlife food source; Found in most wetlands except bogs (CAREX STIPATA (Awi Fruited Sedge) WETLAND 3' S-PS NWDS (Important wildlife food source; Common in all Wi wetlands (CAREX STIPATA (Poverty Oat Grass) E DRY MESIC 1' S NWDS Important wildlife food source; Common in all Wi wetlands (CAREX STIPATA (Poverty Oat Grass) E DRY MESIC 1' S NWDS (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands (Important wildlife food source; Common in all Wi wetlands	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC	5 2	-8' -3' 2' -4'	S-	S -PS S -PS	NWDS NWDS WI NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile
CAREX LACUSTRIS (Lake Sedge) * WETLAND 3' S-SH NWDS Aggressive; Shoreline stabilizing  CAREX LASIOCARPA (Woolly Fruit Sedge) WETLAND 2' P5-SH NWDS Has a strong, peppery smell  CAREX MEHIENBERGII (Sand Bracted Sedge) MESIC 2' S-P5 WI Actively grows during the spring and fall when soil temperatures are cool  CAREX PENSYLVANICA (Pennsylvania Sedge) WOODLAND 8" P5-SH NWDS Soft, graceful "grass"; Rhizomatous groundcover; Wildlife  CAREX RETRORSA (Defexed Bottlebrush Sedge) WETLAND 2' S-SH NWDS Hard seedhead that remains intact through fall making it an attractive choice for any garden planting  CAREX STIPATA (Pointed Brown Sedge) WETLAND 2' S-SH NWDS Hard seedhead that remains intact through fall making it an attractive choice for any garden planting  CAREX STIPATA (Awi Fruited Sedge) WETLAND 3' S-SH NWDS Important wildlife food source; Found in most wetlands except bogs  CAREX STIPATA (Awi Fruited Sedge) WETLAND 3' S-P5 NWDS Common in our wetlands  CAREX STIPATA (Powerty Oat Grass) WETLAND 3' S-P5 NWDS Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge) WETLAND 3' S-P5 NWDS Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge) WETLAND 3' S-P5 NWDS Common in our wetlands  DANTHONIA SPICATA (Powerty Oat Grass) E DRY MESIC 1' S NWDS A cool season grass that loves poor, dry soil  ELYMUS CANADENSIS (Canada Wild Rye) MESIC 4-5' S NWDS Fastest growing of the parine grasses; Native cover crop  ELYMUS VIRGINICUS (Virginia Wild Rye) MESIC 4' S NWDS Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass) MOIST MESIC 1-2' PS WILD Dried grass has vanille fragrance; Used for smudging  JUNCUS TERUIS (Fort Rush) WOODLAND 1' S-PS NWDS Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E DRY MESIC 2-3' S NWDS Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E DRY MESIC 2-3' S NWDS Tolerates compacted soil; Disturbed sites	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC	5 2	-8' -3' 2' -4'	S-	S -PS S -PS	NWDS NWDS WI NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile
CAREX LACUSTRIS (Lake Sedge) * WETLAND 3' S-SH NWDS Aggressive; Shoreline stabilizing  CAREX LASIOCARPA (Woolly Fruit Sedge) WETLAND 2' P5-SH NWDS Has a strong, peppery smell  CAREX MEHIENBERGII (Sand Bracted Sedge) MESIC 2' S-P5 WI Actively grows during the spring and fall when soil temperatures are cool  CAREX PENSYLVANICA (Pennsylvania Sedge) WOODLAND 8" P5-SH NWDS Soft, graceful "grass"; Rhizomatous groundcover; Wildlife  CAREX RETRORSA (Defexed Bottlebrush Sedge) WETLAND 2' S-SH NWDS Hard seedhead that remains intact through fall making it an attractive choice for any garden planting  CAREX STIPATA (Pointed Brown Sedge) WETLAND 2' S-SH NWDS Hard seedhead that remains intact through fall making it an attractive choice for any garden planting  CAREX STIPATA (Awi Fruited Sedge) WETLAND 3' S-SH NWDS Important wildlife food source; Found in most wetlands except bogs  CAREX STIPATA (Awi Fruited Sedge) WETLAND 3' S-P5 NWDS Common in our wetlands  CAREX STIPATA (Powerty Oat Grass) WETLAND 3' S-P5 NWDS Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge) WETLAND 3' S-P5 NWDS Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge) WETLAND 3' S-P5 NWDS Common in our wetlands  DANTHONIA SPICATA (Powerty Oat Grass) E DRY MESIC 1' S NWDS A cool season grass that loves poor, dry soil  ELYMUS CANADENSIS (Canada Wild Rye) MESIC 4-5' S NWDS Fastest growing of the parine grasses; Native cover crop  ELYMUS VIRGINICUS (Virginia Wild Rye) MESIC 4' S NWDS Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass) MOIST MESIC 1-2' PS WILD Dried grass has vanille fragrance; Used for smudging  JUNCUS TERUIS (Fort Rush) WOODLAND 1' S-PS NWDS Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E DRY MESIC 2-3' S NWDS Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E DRY MESIC 2-3' S NWDS Tolerates compacted soil; Disturbed sites	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) *	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND	5 2 3	-8' -3' 2' -4' 1'	S- S- F- S-	S -PS S -PS -PS	NWDS NWDS WI NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food.
CAREX LASIOCARPA (Woolly Fruit Sedge)  MESIC 2' 5-PS WI Actively grows during the spring and fall when soil temperatures are cool  CAREX PERSIVANICA (Pennsylvania Sedge)  MODILAND 8" PS-SH NWDS Soft, graceful "grass"; Rhizomatous groundcover; Wildlife  CAREX PERSIVANICA (Pennsylvania Sedge)  WETLAND 2' S-SH NWDS Hard seedhead that remains intact through fall making it an attractive choice for any garden planting  CAREX SCOPARIA (Pointed Broom Sedge)* WETLAND 2' S-SH NWDS Flowerheads resemble tiny brooms; Airy mound-shape; Clump former  CAREX STIPATA (Awi Fruited Sedge) WETLAND 3' S-SH NWDS Flowerheads resemble tiny brooms; Airy mound-shape; Clump former  CAREX STIPATA (Fulled Sedge) WETLAND 3' S-PS NWDS COMMON In our wetlands  CAREX STIPATA (Poverty Oat Grass) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENISI (Canada Wild Rye) MESIC 4-5' S NWDS ELYMUS VIRGINICUS (Virginia Wild Rye) MESIC 4-5' S NWDS MESIC 4-5' S NWDS MESIC 4-5' S NWDS MESIC 4-5' S NWDS Actively grows during the spring and fall when soil temperatures are cool  METLAND 3' S-SH NWDS MIDDITART WILDITART WILDI	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) *	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND	3	-8' -3' 2' -4' 1' 2' 3'	S- S- F S- S- S-	S -PS S -PS -PS -PS -PS	NWDS NWDS WI NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife
CAREX MUEHLENBERGII (Sand Bracted Sedge)  MESIC  2'  S-PS  WI Actively grows during the spring and fall when soil temperatures are cool  CAREX PENSYLVANICA (Pennsylvania Sedge)  WOODLAND  8"  PS-SH  NWDS  Soft, graceful "grass"; Rhizomatous groundcover; Wildlife  CAREX SCOPARIA (Pointed Broom Sedge) *  WETLAND  2'  S-SH  NWDS  Hard seedhead that rembel tiny brooms; Airy mound-shape; Clump former  CAREX SCOPARIA (Pointed Broom Sedge) *  WETLAND  3'  S-SH  NWDS  Important wildlife food source; Found in most wetlands except bogs  CAREX STRICTA (Tussock Sedge)  WETLAND  3'  S-PS  NWDS  COmmon in our wetlands  CAREX VILLPINOIDEA (Fox Sedge)  METLAND  3'  S-PS  NWDS  DATHONIAS SPICATA (Poverty Oat Grass) E  DRY MESIC  4-5'  S  NWDS  Fastest growing of the prairie grasses; Native cover crop  ELYMUS HYSTRIX (Bottlebrush Grass)  WOODLAND  3'  PS-SH  WI  Long, stiff widely spaced bristle on seedhead, Plant with spring ephemerals  ELYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  4'  S  NWDS  Actively grows during the spring and fall when soil temperatures are cool  MESIC  4'  S  NWDS  NWDS  To red grass has varied as the remain intact through fall making it an attractive choice for any garden planting  Flowerheads resemble tiny brooms; kiry mound-shape; Clump former  CAREX STRICTA (Tussock Sedge)  WETLAND  3'  S-SH  NWDS  NWDS  Important wildlife food source; Found in most wetlands except bogs  Common in our wetlands  Common in our wetl	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) *	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND	3	-8' -3' 2' -4' 1' 2' 3'	S-	S -PS S -PS -PS -PS -SH S	NWDS NWDS WI NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food
CAREX PENSYLVANICA (Pennsylvania Sedge)  WOODLAND  8" PS-SH NWDS  Soft, graceful "grass"; Rhizomatous groundcover; Wildlife  CAREX RETRORSA (Deflexed Bottlebrush Sedge)  WETLAND  2' S-SH NWDS  Hard seedhead that remains intact through fall making it an attractive choice for any garden planting  CAREX SCOPARIA (Pointed Broom Sedge)*  WETLAND  2' S NWDS  Flowerheads resemble tiny browns; Airy mound-shape; Clump former  (CAREX STRICTA (Fussock Sedge)  WETLAND  3' S-SH NWDS  Important wildlife food source; Found in most wetlands except bogs  CAREX STRICTA (Tussock Sedge)  WETLAND  3' S-PS NWDS  Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge)  WETLAND  3' S-PS NWDS  Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge)  METLAND  3' S-PS NWDS  Common in our wetlands  CAREX STRICTA (Tussock Sedge)  METLAND  3' S-PS NWDS  Important wildlife food source; Common in all Wi wetlands  DAYH MAN SPICATA (Poverty Oat Grass) E  DAY MESIC  1' S NWDS  A cool season grass that loves poor, dry soil  ELYMUS CANADENSIS (Canada Wild Rye)  MESIC  4-5' S NWDS  Fastest growing of the prairie grasses; Native cover crop  ELYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  4-5' S NWDS  Fastest growing of the prairie grasses; Native cover crop  ELYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  4' S NWDS  Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  1-2' PS WI Dried grass has vanilla fragrance; Used for smudging  JUNCUS EFFUSUS (Soft Rush) *  WETLAND  1-2' S NWDS  Airy clump rounded  PANICUM VIRGATUM (Switch Grass) E  DRY MESIC  2-3' S NWDS  Airy clump rounded  PANICUM VIRGATUM (Switch Grass) E  DRY MESIC  3-4' S-PS NWDS  Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass)  ANDROPOGON SCOPARIUS (Little Bluestem Grass) E  BOUTELOUA CURTIPENDULA (Side Oats Grama)  CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *  CAREX BREVIOR (Plains Oval Sedge)  CAREX COMOSA (Bottlebrush Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX HYSTERICINA (Porcupine Sedge) *  CAREX LACUSTRIS (Lake Sedge) *	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND	3	-8' -3' 2' -4' 1' 2' 3' 3' 3'	S-   S-   S-   S-   S-	S -PS S -PS -PS -PS -PS -SH -S	NWDS NWDS WI NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing
CAREX RETRORSA (Deflexed Bottlebrush Sedge)  WETLAND  2'  S-SH  NWDS  Flowerheads resemble tiny promise, Airy mound-shape; Clump former  CAREX STOPARIA (Pointed Broom Sedge)*  WETLAND  3'  S-SH  NWDS  Flowerheads resemble tiny promise, Airy mound-shape; Clump former  CAREX STRICTA (Tussock Sedge)  WETLAND  3'  S-PS  NWDS  Common in our wetlands  CAREX STRICTA (Tussock Sedge)  WETLAND  3'  S-PS  NWDS  Important wildlife food source; Found in most wetlands except bogs  CAREX STRICTA (Tussock Sedge)  WETLAND  3'  S-PS  NWDS  Important wildlife food source; Found in most wetlands except bogs  CAREX VULPINOIDEA (Fox Sedge)  WETLAND  3'  S-PS  NWDS  Important wildlife food source; Common in all Wi wetlands  DANTHONIA SPICATA (Poverty Oat Grass) E  DRY MESIC  1'  S  NWDS  A cool season grass that loves poor, dry soil  ELYMUS CANADENSIS (Canada Wild Rye)  MESIC  4-5'  S  NWDS  ELYMUS HYSTRIX (Bottlebrush Grass)  WOODLAND  3'  PS-SH  WI  Long, stiff widely spaced beded; Plant with spring ephemerals  ELYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  4'  S  NWDS  Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  1-2'  PS  WI  Dried grass has vanilla fragrance; Used for smudging  JUNCUS TERVUSIS (Soft Rush)*  WOODLAND; DRY WOODLAND  1'  S-PS  NWDS  NWDS  Altivelup grounded  JUNCUS TERVUSIS (Path Rush)  WOODLAND; DRY WOODLAND  1'  S-PS  NWDS  NWDS  Tolerates compacted soil; Disturbed sites  PANICUM VIRGATUM (Switch Grass) E  MESIC  3-4'  S-PS  NWDS  Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND	3	-8' -3' 2' -4' 1' 2' 3' 3' 3'	S- S- S- S- S- S-	S	NWDS NWDS WI NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell
CAREX SCOPARIA (Pointed Broom Sedge) *  WETLAND 2' S NWDS Flowerheads resemble tiny brooms; Airy mound-shape; Clump former  CAREX STIPATA (AWI Fruited Sedge) WETLAND 3' S-SH NWDS Important wildlife food source; Found in most wetlands except bogs  CAREX STIPATA (Insock Sedge) WETLAND 3' S-PS NWDS Common in our wetlands  CAREX VILIPINOIDEA (Fox Sedge) WETLAND 3' S-PS NWDS Important wildlife food source; Common in all WI wetlands  DANTHONIA SPICATA (Poverty Oat Grass) E DRY MESIC 1' S NWDS A cool season grass that loves poor, dry soil  ELYMUS CANADENSIS (Canada Wild Rye) MESIC 4-5' S NWDS Fastest growing of the prairie grasses; Native cover crop  ELYMUS HYSTRIX (Bottlebrush Grass) WOODLAND 3' PS-SH WI Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  ELYMUS VIRGINICUS (Virginia Wild Rye) MESIC 4' S NWDS Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass) MOIST MESIC 1-2' PS WI Dried grass has vanilla fragrance; Used for smudging  JUNCUS FEFUSUS (Soft Rush) *  WETLAND 1-2' S NWDS Airy clump rounded  JUNCUS TENUIS (Path Rush) WOODLAND; DRY WOODLAND 1' S-PS NWDS Tolerates compacted soil; Disturbed sites  PANICUM VIRGATUM (Switch Grass) E MESIC 2-3' S NWDS Large clump former with airy seedheads  PANICUM VIRGATUM (Switch Grass) E MESIC 3-4' S-PS NWDS Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC	3	-8' -3' -2' -4' 1' 2' 33' 33' 32' 2' -2'	S- S- F S- S- S- S-	S PPS S PPS PPS PPS SH S SH	NWDS NWDS WI NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool
CAREX SCOPARIA (Pointed Broom Sedge) * WETLAND 2' S NWDS Flowerheads resemble tiny brooms; Airy mound-shape; Clump former  CAREX STIPATA (Awl Fruited Sedge) WETLAND 3' S-SH NWDS Important wildlife food source; Found in most wetlands except bogs  CAREX STIPATA (Tussock Sedge) WETLAND 3' S-PS NWDS Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge) WETLAND 3' S-PS NWDS Important wildlife food source; Common in all WI wetlands  DANTHONIA SPICATA (Poverty Oat Grass) E DRY MESIC 1' S NWDS A cool season grass that loves poor, dry soil  ELYMUS CANADENSIS (Canada Wild Rye) MESIC 4-5' S NWDS Fastest growing of the prairie grasses; Native cover crop  ELYMUS HYSTRIX (Bottlebrush Grass) WOODLAND 3' PS-SH WI Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  ELYMUS VIRGINICUS (Virginia Wild Rye) MESIC 4' S NWDS Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass) MOIST MESIC 1-2' PS WI Dried grass has vanilla fragrance; Used for smudging  JUNCUS FERUSIS (Soft Rush) * WOODLAND; DRY WOODLAND 1' S-PS NWDS Tolerates compacted soil; Disturbed sites  JUNCUS TENUIS (Path Rush) WOODLAND; DRY WOODLAND 1' S-PS NWDS Tolerates compacted soil; Disturbed sites  PANICUM VIRGATUM (Switch Grass) E MESIC 2-3' S NWDS Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC	3	-8'3' 2'4' -11' -2' -33' 3' -2' -2' -2' -3" -1" -1" -1" -1" -1" -1" -1" -1" -1" -1	S- S- F S- S- S- S-	S PPS S PPS PPS PPS SH S SH	NWDS NWDS WI NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool
CAREX STIPATA (AWI Fruited Sedge)  WETLAND  S' S-PS NWDS Common in our wetlands  CAREX VULPINOIDEA (Fox Sedge)  WETLAND  S' S-PS NWDS Important wildlife food source; Found in most wetlands except bogs  CAREX VULPINOIDEA (Fox Sedge)  WETLAND  S' S-PS NWDS Important wildlife food source; Common in all WI wetlands  DANTHONIA SPICATA (Poverty Oat Grass) E  ELYMUS CANADENSIS (Canada Wild Rye)  MESIC  A-5' S NWDS  Fastest growing of the prairie grasses; Native cover crop  ELYMUS HYSTRIX (Bottlebrush Grass)  WOODLAND  MESIC  A' S NWDS  Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODDRATA (Sweet Grass)  MOIST MESIC  1-2' PS WI Dried grass has vanilla fragrance; Used for smudging  JUNCUS FETUSUS (Soft Rush)*  WOODLAND; DRY WOODLAND  1' S-PS NWDS  Tolerates compacted soil; Disturbed sites  FANICUM VIRGATUM (Switch Grass) E  MESIC  A'S NWDS  Tufted compact grass  PANICUM VIRGATUM (Switch Grass) E  MESIC  A'S SNWDS  Tufted compact grass  NWDS  Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass)  ANDROPOGON SCOPARIUS (Little Bluestem Grass) E  BOUTELOUA CURTIPENDULA (Side Oats Grama)  CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *  CAREX BREVIOR (Plains Oval Sedge)  CAREX COMOSA (Bottlebrush Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX HYSTERICINA (Porcupine Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX LASIOCARPA (Woolly Fruit Sedge)  CAREX MUEHLENBERGII (Sand Bracted Sedge)  CAREX PENSYLVANICA (Pennsylvania Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WOODLAND	3	-8'3' 2'4' -11' -2' -33' 3' -2' -2' -2' -3" -1" -1" -1" -1" -1" -1" -1" -1" -1" -1	S- S- F F S- S- S- PS	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife
CAREX STRICTA (Tussock Sedge)  CAREX VULPINOIDEA (Fox Sedge)  WETLAND  3'  S-PS  NWDS  Important wildlife food source; Common in all WI wetlands  DANTHONIA SPICATA (Poverty Oat Grass) E  ELYMUS CANADENSIS (Canada Wild Rye)  ELYMUS CANADENSIS (Canada Wild Rye)  MESIC  4-5'  S  NWDS  Fastest growing of the prairie grasses; Native cover crop  ELYMUS HYSTRIX (Bottlebrush Grass)  WOODLAND  3'  PS-SH  WI  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  ELYMUS Urignia Wild Rye)  MESIC  4'  S  NWDS  Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  1-2'  PS  WI  Dried grass has vanilla fragrance; Used for smudging  JUNCUS EFFUSUS (Soft Rush)*  WOODLAND; DRY WOODLAND  1-2'  S  NWDS  NWDS  Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E  DRY MESIC  2-3'  S  NWDS  Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass)  ANDROPOGON SCOPARIUS (Little Bluestem Grass) E  BOUTELOUA CURTIPENDULA (Side Oats Grama)  CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *  CAREX BREVIOR (Plains Oval Sedge)  CAREX COMOSA (Bottlebrush Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX HYSTERICINA (Porcupine Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX LASIOCARPA (Woolly Fruit Sedge)  CAREX MUEHLENBERGII (Sand Bracted Sedge)  CAREX PENSYLVANICA (Pennsylvania Sedge)  CAREX RETRORSA (Deflexed Bottlebrush Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  MESIC  WOODLAND  WETLAND	3	-8'8'3' 2'4'1'	S- S- F S- S- S- PS S- PS	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting
CAREX VULPINOIDEA (Fox Sedge)  DAY MESIC  LYMUS CANADENSIS (Canada Wild Rye)  ELYMUS CANADENSIS (Canada Wild Rye)  ELYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  MODILAND  MODILAND  MODILAND  MODILAND  MODILAND  MODILAND  MESIC  MODILAND  MESIC  MESIC	ANDROPOGON GERARDII (Big Bluestem Grass)  ANDROPOGON SCOPARIUS (Little Bluestem Grass) E  BOUTELOUA CURTIPENDULA (Side Oats Grama)  CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *  CAREX BREVIOR (Plains Oval Sedge)  CAREX COMOSA (Bottlebrush Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX HYSTERICINA (Porcupine Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX LASIOCARPA (Woolly Fruit Sedge)  CAREX MUEHLENBERGII (Sand Bracted Sedge)  CAREX PENSYLVANICA (Pennsylvania Sedge)  CAREX RETRORSA (Deflexed Bottlebrush Sedge)  CAREX SCOPARIA (Pointed Broom Sedge) *	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  MESIC  WOODLAND  WETLAND  WETLAND	3	-8' -8' -3' -2' -4' 11' -2' 33' 3' 3' 22' -2' 2' 2'	S- S- S- S- PS S- PS	S	NWDS NWDS WI NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former
DANTHONIA SPICATA (Poverty Oat Grass) E DRY MESIC 1' S NWDS A cool season grass that loves poor, dry soil  ELYMUS CANADENSIS (Canada Wild Rye) MESIC 4-5' S NWDS Fastest growing of the prairie grasses; Native cover crop  ELYMUS HYSTRIX (Bottlebrush Grass) WOODLAND 3' PS-SH WI Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  ELYMUS VIRGINICUS (Virginia Wild Rye) MESIC 4' S NWDS Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass) MOIST MESIC 1-2' PS WI Dried grass has vanilla fragrance; Used for smudging  JUNCUS EFFUSUS (Soft Rush) *  WETLAND 1-2' S NWDS Airy clump rounded  JUNCUS TENUIS (Path Rush) WOODLAND; DRY WOODLAND 1' S-PS NWDS Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E DRY MESIC 2-3' S NWDS Tufted compact grass  PANICUM VIRGATUM (Switch Grass) E MESIC 3-4' S-PS NWDS Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass)  ANDROPOGON SCOPARIUS (Little Bluestem Grass) E  BOUTELOUA CURTIPENDULA (Side Oats Grama)  CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *  CAREX BREVIOR (Plains Oval Sedge)  CAREX COMOSA (Bottlebrush Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX HYSTERICINA (Porcupine Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX MUEHLENBERGII (Sand Bracted Sedge)  CAREX PENSYLVANICA (Pennsylvania Sedge)  CAREX RETRORSA (Deflexed Bottlebrush Sedge)  CAREX SCOPARIA (Pointed Broom Sedge) *  CAREX SCOPARIA (Pointed Broom Sedge) *  CAREX STIPATA (Awl Fruited Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND	3	-8' -8' -3' -2' -4' 11' -2' 33' 33' 33' 2' -2' 2' 33' 33' 33' 33' 33' 33' 33' 33' 33	S- S- S- S- S- PS S- PS	S S PPS S PPS PPS S PPS PS	NWDS NWDS WI NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs
ELYMUS CANADENSIS (Canada Wild Rye)  MESIC  4-5'  S  NWDS  Fastest growing of the prairie grasses; Native cover crop  ELYMUS HYSTRIX (Bottlebrush Grass)  WOODLAND  3'  PS-SH  WI  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  ELYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  4'  S  NWDS  Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  1-2'  PS  WI  Dried grass has vanilla fragrance; Used for smudging  JUNCUS EFFUSUS (Soft Rush)*  JUNCUS TERNUIS (Path Rush)  WOODLAND; DRY WOODLAND  1'  S-PS  NWDS  NWDS  Airy clump rounded  KOEHLERIA MACRANTHA (Junegrass) E  DRY MESIC  2-3'  S  NWDS  Tufted compact grass  PANICUM VIRGATUM (Switch Grass) E  MESIC  3-4'  S-PS  NWDS  Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass)  ANDROPOGON SCOPARIUS (Little Bluestem Grass) E  BOUTELOUA CURTIPENDULA (Side Oats Grama)  CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *  CAREX BREVIOR (Plains Oval Sedge)  CAREX COMOSA (Bottlebrush Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX HYSTERICINA (Porcupine Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX MUEHLENBERGII (Sand Bracted Sedge)  CAREX MUEHLENBERGII (Sand Bracted Sedge)  CAREX PENSYLVANICA (Pennsylvania Sedge)  CAREX RETRORSA (Deflexed Bottlebrush Sedge)  CAREX SCOPARIA (Pointed Broom Sedge) *  CAREX STIPATA (Awi Fruited Sedge)  CAREX STIPATA (Awi Fruited Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  MESIC  WOODLAND  WETLAND	3	-8'3' 2'4' 11' 2' 3' 3' 3' 2' 2' 2' 2' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3'	S- S- S- S- PS S- PS S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands
ELYMUS HYSTRIX (Bottlebrush Grass)  WOODLAND  BLYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  MOIST MICH MESIC  MOIST MICH MESIC  MOIST MICH MESIC  MOIST MICH MESIC  MI Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Mith spring ephemerals  MI Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  MESIC   NWDS Actively grows during the spring and fall when soil temperatures are cool  MITH Derived Formation in the spring and fall when soil temperatures are cool  MITH MESIC   MESIC  MITH Long, stiff widely spaced bristle on seedhead; Plant with spring and fall when soil temperatures are cool  Dried grass has vanilla fragrance; Used for smudging  Mith spring and fall when soil temperatures are cool  MICH MESIC  MESIC	ANDROPOGON GERARDII (Big Bluestem Grass)  ANDROPOGON SCOPARIUS (Little Bluestem Grass) E  BOUTELOUA CURTIPENDULA (Side Oats Grama)  CALAMAGROSTIS CANADENSIS (Bluejoint Grass) *  CAREX BREVIOR (Plains Oval Sedge)  CAREX COMOSA (Bottlebrush Sedge) *  CAREX CRINITA (Sickle Sedge) *  CAREX HYSTERICINA (Porcupine Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX LACUSTRIS (Lake Sedge) *  CAREX HYSTERICINA (Woolly Fruit Sedge)  CAREX MUEHLENBERGII (Sand Bracted Sedge)  CAREX PENSYLVANICA (Pennsylvania Sedge)  CAREX RETROSA (Deflexed Bottlebrush Sedge)  CAREX SCOPARIA (Pointed Broom Sedge) *  CAREX SCOPARIA (Pointed Broom Sedge)  CAREX STIPATA (AWI Fruited Sedge)  CAREX STIPATA (AWI Fruited Sedge)  CAREX STRICTA (Tussock Sedge)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND	3	-8'3'2'4'	S- S- F F S- S- PS S- PS S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands
ELYMUS HYSTRIX (Bottlebrush Grass)  WOODLAND  BLYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  HIEROCHLOE ODORATA (Sweet Grass)  MOST MESIC  HEROCHLOE ODORATA (Sweet Grass)  MOST MESIC  MESIC  MOST MESIC  1-2'  PS  MI  Dried grass has vanilla fragrance; Used for smudging  JUNCUS EFFUSUS (Soft Rush) *  JUNCUS TENUIS (Path Rush)  WOODLAND; DRY WOODLAND  MOST MESIC  MOST MESIC  MODIAND; DRY WOODLAND  MESIC  MI  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals  Long, stiff widely spaced bristle on seedhead; Plant with spring and fall when soil temperatures are cool  Dried compact grass  NWDS  Long, stiff widely spaced bristle on seedhead; Plant with spring and fall when soil temperatures are cool  Dried compact grass as vanilla fragrance; Used for smudging  Dried grass has vanilla fragrance; Used	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LAGUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Tussock Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  DRY MESIC	3	-8'3'2'4'1'2'3'2'2'3'2'2'3'3	S- S- S- S- S- PS S- PS S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil
ELYMUS VIRGINICUS (Virginia Wild Rye)  MESIC  4'  S  NWDS  Actively grows during the spring and fall when soil temperatures are cool  HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  1-2'  PS  WI  Dried grass has vanilla fragrance; Used for smudging  JUNCUS EFFUSUS (Soft Rush)*  WETLAND  1-2'  S  NWDS  Airy clump rounded  JUNCUS TENUIS (Path Rush)  WOODLAND; DRY WOODLAND  1'  S-PS  NWDS  Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E  DRY MESIC  2-3'  S  NWDS  Tufted compact grass  PANICUM VIRGATUM (Switch Grass) E  MESIC  3-4'  S-PS  NWDS  Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LAGUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Tussock Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  DRY MESIC	3	-8'3'2'4'1'2'3'2'2'3'2'2'3'3	S- S- S- S- S- PS S- PS S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil
HIEROCHLOE ODORATA (Sweet Grass)  MOIST MESIC  1-2' PS WI Dried grass has vanilla fragrance; Used for smudging  JUNCUS EFFUSUS (Soft Rush) *  WETLAND  1-2' S NWDS Airy clump rounded  JUNCUS TENUIS (Path Rush) WOODLAND; DRY WOODLAND  1' S-PS NWDS Tolerates compacted soil; Disturbed sites  KOEHLERIA MACRANTHA (Junegrass) E DRY MESIC  2-3' S NWDS Tufted compact grass  PANICUM VIRGATUM (Switch Grass) E MESIC  3-4' S-PS NWDS Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX STRICTA (Fointed Broom Sedge) * CAREX STRICTA (Tussock Sedge) CAREX STRICTA (Tussock Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  MESIC  MESIC	3	-8'3'2'4'1'2'3'2'2'3'3'3'3	S- S- S- S- S- PS S- S- S- S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop
JUNCUS EFFUSUS (Soft Rush) *     WETLAND     1-2'     S     NWDS     Airy clump rounded       JUNCUS TENUIS (Path Rush)     WOODLAND; DRY WOODLAND     1'     S-PS     NWDS     Tolerates compacted soil; Disturbed sites       KOEHLERIA MACRANTHA (Junegrass) E     DRY MESIC     2-3'     S     NWDS     Tufted compact grass       PANICUM VIRGATUM (Switch Grass) E     MESIC     3-4'     S-PS     NWDS     Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX RETRORSA (Deflexed Bottlebrush Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STRICTA (Tussock Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) ELYMUS CANADENSIS (Canada Wild Rye)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND	3 3 4 4	-8' -8' -3' -2' -4' 11' -2' 33' 3' 3' -2' -2' -2' 3' 3' 3' 3' 3' -5' 33' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3' 3	S- S- S- S- PS S- PS S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals
JUNCUS TENUIS (Path Rush)     WOODLAND; DRY WOODLAND     1'     S-PS     NWDS     Tolerates compacted soil; Disturbed sites       KOEHLERIA MACRANTHA (Junegrass) E     DRY MESIC     2-3'     S     NWDS     Tufted compact grass       PANICUM VIRGATUM (Switch Grass) E     MESIC     3-4'     S-PS     NWDS     Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX CHINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX SETRORSA (Deflexed Bottlebrush Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) ELYMUS VIRGINICUS (Virginia Wild Rye)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  MESIC  MESIC  WOODLAND  MESIC	3 3 4 4	-8'3' 2'4' 11' 2' 33' 33' 32' 2' 2' 2' 33' 33' 33' 31' 31' 31' 31' 31' 31' 31	S- S- S- S- PS S- PS S- S- PS	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals Actively grows during the spring and fall when soil temperatures are cool
KOEHLERIA MACRANTHA (Junegrass) E DRY MESIC 2-3' S NWDS Tufted compact grass  PANICUM VIRGATUM (Switch Grass) E MESIC 3-4' S-PS NWDS Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX FETRORSA (Deflexed Bottlebrush Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STRICTA (Tussock Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) HIEROCHLOE ODORATA (Sweet Grass)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  MESIC  MOODLAND  MESIC  MOODLAND  MESIC  MOODLAND  MESIC	3 3 4 4 1 1	-8'3' -2' -2' -2' -2' -2' -2' -2' -2' -2' -2	S S S PS S S PS S S PS S S	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals Actively grows during the spring and fall when soil temperatures are cool Dried grass has vanilla fragrance; Used for smudging
PANICUM VIRGATUM (Switch Grass) E MESIC 3-4' S-PS NWDS Large clump former with airy seedheads	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HAYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX SCOPARIA (Pointed Broom Sedge) * CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STICTA (Tussock Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) ELYMUS VIRGINICUS (Virginia Wild Rye) HIEROCHLOE ODORATA (Sweet Grass) JUNCUS EFFUSUS (Soft Rush) *	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  MESIC  MOODLAND  MESIC  MOODLAND  MESIC  WOODLAND  MESIC  WOODLAND  MESIC  WOODLAND  MESIC  WOODLAND  MESIC  MOIST MESIC  WOTLAND	3 3 4 1 1	-8'3'2'2'2'2'2'2'2	S- S- F S- S- S- PS S- S- S- S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals Actively grows during the spring and fall when soil temperatures are cool Dried grass has vanilla fragrance; Used for smudging Airy clump rounded
	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX STRICTA (Fointed Broom Sedge) * CAREX STRICTA (Tussock Sedge) CAREX STRICTA (Tussock Sedge) CAREX STRICTA (Tussock Sedge) CAREX STRICTA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) ELYMUS VIRGINICUS (Virginia Wild Rye) HIEROCHLOE ODORATA (Sweet Grass) JUNCUS EFFUSUS (Soft Rush) * JUNCUS TENUIS (Path Rush)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  WESIC  WOODLAND  MESIC  MOIST MESIC  WETLAND	5 2 3 3 4 4 1 1	-8'3'2'2'1'1'2'2'1'1	S- S- S- S- S- PS S- S- S- S- S- S- S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals Actively grows during the spring and fall when soil temperatures are cool Dried grass has vanilla fragrance; Used for smudging Airy clump rounded
	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX STRICTA (Fointed Broom Sedge) * CAREX STRICTA (Tussock Sedge) CAREX STRICTA (Tussock Sedge) CAREX STRICTA (Tussock Sedge) CAREX STRICTA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) ELYMUS VIRGINICUS (Virginia Wild Rye) HIEROCHLOE ODORATA (Sweet Grass) JUNCUS EFFUSUS (Soft Rush) * JUNCUS TENUIS (Path Rush)	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  WESIC  WOODLAND  MESIC  MOIST MESIC  WETLAND	5 2 3 3 4 4 1 1	-8'3'2'2'1'1'2'2'1'1	S- S- S- S- S- PS S- S- S- S- S- S- S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals Actively grows during the spring and fall when soil temperatures are cool Dried grass has vanilla fragrance; Used for smudging Airy clump rounded Tolerates compacted soil; Disturbed sites
	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LAGUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX FENSYLVANICA (Pennsylvania Sedge) CAREX STERORSA (Deflexed Bottlebrush Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) ELYMUS HYSTRIX (Bottlebrush Grass) ELYMUS HYSTRIX (Bottlebrush Grass) JUNCUS EFFUSUS (Soft Rush) * JUNCUS TENUIS (Path Rush) KOEHLERIA MACRANTHA (Junegrass) E	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  WOODLAND  MESIC  WOODLAND; DRY WOODLAND  DRY MESIC	4 4 1 1	-8'3'2'2'3'3'3'3'2'3'3	S- S- S- S- S- PS S- S- S- S- S- S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals Actively grows during the spring and fall when soil temperatures are cool Dried grass has vanilla fragrance; Used for smudging Airy clump rounded Tolerates compacted soil; Disturbed sites Tufted compact grass
	ANDROPOGON GERARDII (Big Bluestem Grass) ANDROPOGON SCOPARIUS (Little Bluestem Grass) E BOUTELOUA CURTIPENDULA (Side Oats Grama) CALAMAGROSTIS CANADENSIS (Bluejoint Grass) * CAREX BREVIOR (Plains Oval Sedge) CAREX COMOSA (Bottlebrush Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX CRINITA (Sickle Sedge) * CAREX HYSTERICINA (Porcupine Sedge) * CAREX LACUSTRIS (Lake Sedge) * CAREX LASIOCARPA (Woolly Fruit Sedge) CAREX MUEHLENBERGII (Sand Bracted Sedge) CAREX PENSYLVANICA (Pennsylvania Sedge) CAREX STERORSA (Deflexed Bottlebrush Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX STIPATA (Awl Fruited Sedge) CAREX VULPINOIDEA (Fox Sedge) DANTHONIA SPICATA (Poverty Oat Grass) E ELYMUS CANADENSIS (Canada Wild Rye) ELYMUS VIRGINICUS (Virginia Wild Rye) HIEROCHLOE ODORATA (Sweet Grass) JUNCUS EFFUSUS (Soft Rush) * JUNCUS TENUIS (Path Rush) KOEHLERIA MACRANTHA (Junegrass) E PANICUM VIRGATUM (Switch Grass) E	2.5" POTS - \$2.99  MESIC  MESIC  DRY MESIC  WETLAND  DRY TO MOIST MESIC  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  WETLAND  MESIC  WOODLAND  WETLAND  MESIC  MESIC  MOODLAND  MESIC  MOODLAND  MESIC  MOODLAND  MESIC  MOIST MESIC  WETLAND  WOODLAND  MESIC  MOIST MESIC  WETLAND  WOODLAND  MESIC  MOIST MESIC  WETLAND  WOODLAND  MESIC  MOST MESIC  MOST MESIC  MESIC  MOST MESIC  MOST MESIC  MESIC  MOST MESIC  MESIC  MOST MESIC  MESIC	3 3 3 4 4 1 1 1 2 3 3	-8'3'3'2'2'4'4'4'4'	S- S- S- S- PS S- S- S- S- S- S- S- S- S- S- S- S- S-	S	NWDS NWDS NWDS NWDS NWDS NWDS NWDS NWDS	Extensive root system makes this a good grass for erosion control Dry, sandy areas; Turns pinkish-gold in fall with silvery seedheads Seedheads on one side of stalk making it interesting in fall; Needs well-drained soil Most common marsh plant; Flowerheads all face the same direction Sedge for drier areas; Versatile Airy seedhead shaped like bottlebrushes; Wildlife food. Gracefully drooping seedheads; Edges of lakes & banks; Wildlife Alder thickets, swamps, wet ditches, wet meadows; Wildlife food Aggressive; Shoreline stabilizing Has a strong, peppery smell Actively grows during the spring and fall when soil temperatures are cool Soft, graceful "grass"; Rhizomatous groundcover; Wildlife Hard seedhead that remains intact through fall making it an attractive choice for any garden planting Flowerheads resemble tiny brooms; Airy mound-shape; Clump former Important wildlife food source; Found in most wetlands except bogs Common in our wetlands Important wildlife food source; Common in all WI wetlands A cool season grass that loves poor, dry soil Fastest growing of the prairie grasses; Native cover crop Long, stiff widely spaced bristle on seedhead; Plant with spring ephemerals Actively grows during the spring and fall when soil temperatures are cool Dried grass has vanilla fragrance; Used for smudging Airy clump rounded Tolerates compacted soil; Disturbed sites Tufted compact grass Large clump former with airy seedheads

SCUTELLARIA LATERIFLORA (Mad Dog Skullcap)

WETLAND

BL

JN-SEP

S-PS

NWDS Once thought to cure rabies; Deer resistant

SCIRPUS SCHOENOPLECTUS CYPERINUS (Wool Grass) *	WETLAND	3-5'	S	NWDS	Elegant upright foliage; Nesting for birds
SORGHASTRUM NUTANS (Indian Grass)	MESIC	6'	S	NWDS	Showy seedheads with golden pollen
SPARTINA PECTINATA (Prairie Cordgrass) *	WETLAND	6-8'	S	NWDS	Long graceful leaves which blow in the wind; Golden in fall
SPOROBOLUS HETEROLEPIS (Prairie Dropseed Grass) E	MESIC	2'	S	NWDS	Delicate leaves and airy flowers which smell like buttered popcorn
FERNS	4.5" TC POTS - \$7.49				
FERN - ADIANTUM PEDATUM (Maidenhair Fern)	WOODLAND	2'	PS-SH	NWDS	Delicate fronds; Forms a large clump up to 3' in diameter; Deer resistant
FERN - ATHYRIUM FILIX FEMINA (Lady Fern)	WOODLAND	1-2'	S-SH	NWDS	Delicate fronds; Excellent landscape plant; Deer resistant
FERN - DRYOPTERIS INTERMEDIA (Wood Fern)	WOODLAND	1-3'	PSH-SH	NWDS	Evergreen; Deer resistant
FERN - DRYOPTERIS MARGINALLIS (Leatherwood Fern)	WOODLAND	1-3'	PSH-SH	NWDS	Semi-evergreen ; Slope stabilization
FERN - MATTEUCCIA PENSYLVANICA (Ostrich Fern)	WOODLAND	3-4'	PSH-SH	NWDS	Vigorous spreading fern with graceful upright form; Deer resistant
FERN - ONOCLEA SENSIBILIS (Sensitive Fern) *	MESIC; WETLAND	12-15"	S-SH	NWDS	Highly adaptable spreading fern; Dark brown fruiting body prominent in fall; Deer resistant
FERN - OSMUNDA CINNAMOMEA (Cinnamon Fern)	WOODLAND	3-5'	PSH-SH	NWDS	Great for naturalizing; Fertile fronds look like cinnamon sticks; Deer resistant
FERN - OSMUNDA CLAYTONIANA (Interrupted Fern) - LIMITED AVAILABILITY	WOODLAND; WETLAND	3-4'	PSH-SH	NWDS	Fertile frond interrupted by spores; Large fern suitable as a specimen; Deer resistant
FERN - OSMUNDA REGALIS (Royal Fern) *	MESIC; WETLAND	3'	PSH-SH	NWDS	Found along rivers, lakes; Elegant fronds; Deer resistant

TREES, SHRUBS AND WOODY VINES	2.5" TC POTS - \$3.99	MOST TREES AND SHRUBS INDIVIDUALLY PRICED UNLESS HIGHLIGHTED - CAN BE PURCHASED AS EACHES AND NOT FULL FLATS					
BOTANICAL AND COMMON NAMES	<u>HEIGHT</u>	SPREAD	<b>FOLIAGE</b>	BLOOM	<b>EXPOSURE</b>	<u>COMMENTS</u>	
ABIES BALSAMEA (Balsam Fir)	45-75'	20-25'	EVERGR		S-SH	Fragrant; Winter cover for birds	
ACER RUBRUM (Red Maple)	40-75'	35-40'	GR	RED	PS-SH	Vigorous shade tree; Scarlet fall foliage	
ACER SACCHARUM (Sugar Maple)	75-100'	50-60'	GR	YEL/GR	PS-SH	Very high wildlife value; Maple syrup	
ACER SPICATUM (Mountain Maple)	15-25'	15-25'	YEL/GR	YEL	PS-SH	Understory tree; Interesting candle-like pale yellow flowers in spring	
ALNUS INCANA (Tag Alder) *	Up To 30'	8'	GR	BR/PUR	S-PS	Favored by ruffed grouse; Considered a large shrub; Nitrogen fixer	
AMELANCHIER CANADENSIS (Shadblow)	10-30'	10-15'	GR	WH	S-PSH	Understory tree; Excellent fruit; First tree to bloom in spring	
AMELANCHIER LAEVIS (Serviceberry)	20-30'	15'	GR	WH	S-PS	Understory tree; Excellent purple/blue fruit to attract birds	
AMORPHA CANESCENS (Lead Plant)	2-3'	2'	GR	PUR/OR	S	Shrub; Nitrogen fixer; Blooms attract pollinators	
ARCTOSTAPHYLOS URVA-URSI (Bearberry) E	1'	2-4'	DK GR	PK/WH	S-PS	Deer resistant; Excellent evergreen groundcover; Scarlet fruit; Sandy soil: Slow grower	
ARONIA MELANOCARPA (Glossy Black Chokeberry) E	3'-10'	4-6'	GR	WH	S-SH	Excellent shoreline plant; Red foliage fall; Berries can be eaten	
BETULA LUTEA (Yellow Birch)	60-75'	40-60'	GR	GR	S-PSH	Bronze/yellow exfoliating bark	
BETULA NIGRA (River Birch)	50-70'	30-40'	DK GR	YEL/GR	S	Yellow fall foliage; Interesting exfoliating bark as a young tree	
BETULA PAPYRIFERA (White Birch)	50-75'	35-50'	GR	GR	S-PS	Shallow roots; Prefer cool soil	
BETULA PUMILA (Bog Birch) *	4-13'	6-8'	DK GR	YEL	S-PS	Wetland shrub; Non-clonal; Open bogs and swamps	
CARPINUS CAROLINIANA (Blue Beech)	20-30'	25-30'	GR	RED	S-SH	Slow-growing, deciduous under-story tree	
CEANOTHUS AMERICANUS (New Jersey Tea)	18-36"	3'	GR	WH	S-PS	Durable low shrub with clusters of flowers; Hummingbirds	
CELASTRUS SCANDENS (American Bittersweet)	VINE	30'	DK GR	GR	S-PS	Brilliant orange fall fruit; Poisonous	
CELTIS OCCIDENTALIS (Hackberry)	75-100'	50-75'	GR	YEL/GR	S-PS	Shade tree; Witches brooms distort tops of tree; Neutral to sweet soils	
CEPHALANTHUS OCCIDENTALIS (Buttonbush) *	Up To 15'	6-8'	GR	WH	S-PS	Wetland shrub; Glossy foliage; Deer resistant	
CHAMAEDAPHNE CALYCULATA (Leather Leaf) *	1-4'	1-3'	GR	WH	PS	Small dense shrub; Bogs; Acidic soil; Dull leathery leaves	
CLEMATIS OCCIDENTALIS (Purple Rock Clematis)	VINE	6'	GR	BL	S-PS	Bell-shaped flower; Climbs trees; Short-lived; Self sows	
CLEMATIS VIRGINIANA (Virgin's Bower) E	VINE	9'	GR	WH	S-PS	Starry-white flowers followed by silky-plumed seed heads; Deer resistant	
COMPTONIA PEREGRINA (Sweet Fern) E	2-3'	2-3'	GR	BR	S-PSH	Low wildlife value, but critical for holding sandy soil	
CORNUS ALTERNIFOLIA (Pagoda Dogwood)	15-30'	20-25'	DK GR	CR	PS-SH	Horizontal branching gives a layered look; Reddish-purple fall foliage	
CORNUS RACEMOSA (Gray Dogwood)	6-12'	6-12'	GR	WH	S-SH	Can form dense thickets	
CORNUS STOLONIFERA (Red-Stem Dogwood) *	6-12'	6-12'	GR	WH	S-PS	Needs mesic soils or regular moisture	
CORYLUS AMERICANA CORNUTA (Hazelnut)	6-8'	6-10'	GR	BR	S-SH	Edible nuts; Yellow fall foliage	
DECODON VERTICILLATUS (Water Willow) *	1-9'	1-6'	GR	PK	S	Lake edges; Shrub-like plant; Shallows and lakeshores	
DIERVILLA LONICERA (Bush Honeysuckle) E	1-4'	3-4'	GR	YEL	S-SH	Erosion control on slopes; Bronze foliage in the sun; Hardy	
FRAXINUS NIGRA (Black Ash)	50-75'	35-50'	GR	PUR	S-PS	Golden-yellow fall foliage; Tolerates wet areas	
HAMAMELIS VIRGINIANA (Witch Hazel)	15'	12-15'	GR	YEL	S-SH	Used for water witching; Fragrant flowers	
ILEX VERTICILLATA (Winterberry) *	6-8'	6-8'	DK GR	GR	S-PS	Striking red berries fall & winter; Poisonous; Dioecious; Needs Male & Female	
JUNIPERUS HORIZONTALIS (Creeping Juniper)	1-3'	6'	GR	YEL/GR	S-PS	Good in shallow sandy soils; "Creeping Juniper"; Groundcover; Blue berries	
LARIX LARICINA (Tamarack)	40-80'	15-30"	GR	PUR	S	Golden fall color; Deciduous needle-bearing tree; Acidic moist soils	
MYRICA GALE (Sweet Gale) *	5-6'	4-6'	GR	GR	S-PS	Aromatic seed head; Nitrogen fixer; Habitat for fish; Shore stabilizer	
OSTRYA VIRGINIANA (Ironwood)	35-60'	25'	GR	BR	PS	Foliage persistent; Yellow fall foliage; Understory tree	
PARTHENOCISSUS INSERTA (Woodbine)	VINE	20'+	GR	GR	S-SH	Vigorous vine; Fall foliage burgundy-red	
PHYSOCARPUS OPULIFOLIUS (Ninebark)	8-12'	6-8'	GR	WH/PK	S-PS	Adaptable shrub	
PICEA GLAUCA (White Spruce)	50-75'	20-35'	GR	PUR	S-PS	Slow growing but sturdy evergreen	
PICEA MARIANA (Black Spruce)	40-60'	15-35'	GR	PUR	S-PS	Tolerates wet areas	
PINUS RESINOSA (Red Pine)	75-100'	50-75'	GR	PUR	S-PS	Great on dry, sandy soils	
PINUS STROBUS (White Pine)	75-100'	50-75'	GR	PUR	S-PS	Emblematic of the Northwoods	
PRUNUS AMERICANA (Wild Plum)	15-20'	10-12'	GR	WH	S	Forms thickets; Fragrant flowers; MAKE WINE! Or jam	

PRUNUS PENNSYLVANICA (Pincherry)	10-30'	10-20'	GR	WH	S-PS	Reddish bark; Small red fruits in clusters used in jellies
PRUNUS SEROTINA (Black Cherry)	50-75'	25-35'	GR	WH	S-PS	Yellow-red fall foliage; Edible fruit; Birds love berries
PRUNUS VIRGINIANA (Choke Cherry)	20-40'	18-25'	GR	WH	S	Yellow-red fall foliage; Sour, but edible fruit; Fragrant flowers
QUERCUS ELLIPSOIDALIS (Northern Pin Oak)	50-75'	45'	GR	YEL	S	Great for dry, sandy acidic sites; Leaves persistent; Red fall color
QUERCUS MACROCARPA (Bur Oak)	70-80'	60-80'	DK GR	YEL	S	Excellent specimen tree; Corky bark
QUERCUS RUBRA (Northern Red Oak)	75-100'	50-75'	DK GR	YEL	S-PS	Vigorous; Red-brown fall foliage; Foliage persistent; Fastest growing oak
RHUS TYPHINA (Staghorn Sumac)	10-15'	12-15'	GR	GR	S-PS	Erosion control on dry slopes; Brilliant red fall foliage and red berries
QUERUS BICOLOR (Swamp White Oak)	50-60'	50-60'	GR	GR	S	A large shade tree that can handle moist, acidic soils and is tolerant to other growing conditions
ROSA BLANDA (Smooth Rose)	4-5'	2-4'	GR	PK	S-PS	Nearly thornless rose; Dense, mounded habit
ROSA CAROLINA (Pasture Rose)	2'	2-3'	GR	PK	S-PS	Red hips; Dry, loamy soil conditions
ROSA PALUSTRIS (Swamp Rose) *	5'	4-6'	GR	PK	S-PS	Survives in wetlands, riverbanks, wet shore lands; Fragrant flowers
ROSA SETIGERA (Illinois Rose)	12'	4-6'	GR	PK	S-PS	Also known as climbing wild rose
RUBUS HISPIDUS (Swamp Dewberry)	VINE	Up To 8'	GR	WH	S-PS	Important food for songbirds and people, Wetlans conditions
RUBUS PAVIFLORUS (Thimbleberry)	2'	4-6'	GR	WH	S-SH	Blooms May-August; Red berries valuable to wildlife
RUBUS PUBESCENS (Dwarf Raspberry)	VINE	1-3'	GR	WH	S-PS	Trailing species; White flower with red fruit; Edible fruit
SALIX DISCOLOR (Pussy Willow) *	15-20'	15'	GR	WH/BR	S	Erosion control for banks; "Pussies" found late winter
SAMBUCUS CANADENSIS (Black Elderberry)	8-12'	8-10'	GR	WH	S-PS	Edible fruit; Rhizomatous; Transplants readily
SAMBUCUS PUBENS (Red Berried Elderberry)	8-10'	6-8'	GR	WH	S-PS	Lacy-white flowers followed by red fruits that are relished by birds
SORBUS AMERICANA (American Mountain Ash)	10-30'	15'	GR	WH	S-PS	White flowers, great fall color and showy red berries
SORBUS DECORA (Showy Mountain Ash)	20-25'	20'	GR	WH	S-PS	Excellent landscape plant; Showy red berries, white flowers and red fall color
SPIRAEA ALBA (Meadowsweet) *	4'	2-4'	GR	WH	S-PS	Fragrant; bark and roots source of aspirin; Shoreline stabilizer
SPIRAEA TOMENTOSA (Steeplebush) *	4'	2-5'	GR	PK	S-PS	Good landscape plant; Shoreline stabilizer
SYMPHORICARPUS ALBUS (Snowberry) E	3-6'	3-6'	GR	PK	S-SH	White berries fall & winter; Colonizes readily
TSUGA CANADENSIS (Canada Hemlock)	75-100'	40-60'	GR	GR	PS-SH	Grows with shallow, cool, acidic soils
VACCINIUM SPP. (Blueberry)	6"-2'	1-2'	GR	CR	S-PS	Fall foliage orange-red; Attractive & tasty blue berries
VIBURNUM ACERIFOLIUM (Maple Leaf Viburnum)	3-6'	3-6'	GR	WH	PSH-SH	Blue berries even in deep shade
VIBURNUM LENTAGO (Nannyberry)	15-35'	6-10'+	GR	WH	S-PSH	Edible black fruit; Purple-red fall foliage; Nice small landscape tree
VIBURNUM RAFINESQUIANUM (Downy Arrowwood)	3-6'	3-6'	GR	WH	S-PSH	Burgundy purple fall foliage
VIBURNUM TRILOBUM (Highbush Cranberry) *	10-12'	10-12'	GR	WH	S	Persistent red edible fruit
VITIS RIPARIA (Wild Grape)	VINE	Up To 75'	GR	WH	S-PSH	Purple fruit clusters for birds; Wine & jelly